

Universitäts- und Landesbibliothek Tirol

**Vergleichende Untersuchungen der Zelloberfläche der
Pigmentzellen von Säugern mit Hilfe spezifischer
Markierungstechniken**

Romani, Nikolaus

1983

Literatur

[urn:nbn:at:at-ubi:2-12519](#)

LITERATUR

Albino AP, Lloyd KO, Houghton AN, Oettgen HF, Old LJ (1981) Heterogeneity in surface antigen and glycoprotein expression of cell lines derived from different melanoma metastases of the same patient. Implications for the study of tumor antigens. *J Exp Med* 154:1764-1778

Alitalo K, Vaheri A (1982) Pericellular matrix in malignant transformation. In: Klein G, Weinhouse S (Hrsg) *Advances in cancer research*. Vol 37. Academic Press, New York, pp 111-158

Ashwell G, Harford J (1982) Carbohydrate specific receptors on the liver. *Annu Rev Biochem* 51:531-554

Axelrod D, Koppel D, Schlessinger J, Elson E, Webb W (1976) Mobility measurement by analysis of fluorescence photobleaching recovery. *Biophys J* 16:1055-1069

Baenziger JU, Fiete D (1980) Galactose and N-acetylgalactosamine-specific endocytosis of glycopeptides by isolated rat hepatocytes. *Cell* 22:611-620

Barondes SH (1981) Lectins: Their multiple endogenous cellular functions. *Ann Rev Biochem* 50:207-231

Bennett HS (1963) Morphological aspects of extracellular polysaccharides. *J Histochem Cytochem* 11:14-23

Bhavanandan VP, Katlic AW (1979) The interaction of Wheatgerm Agglutinin with sialoglycoproteins. The role of sialic acid. *J Biol Chem* 254:4000-4008

Bittiger H, Heid J (1977) The subcellular distribution of particle bound negative charges in rat brain. *J Neurochem* 28:917-922

Borysenko JZ, Woods W (1979) Density, distribution and mobility of surface anions on a normal/transformed cell pair. *Exp Cell Res* 118:215-227

Brabec RK, Peters BP, Bernstein IA, Gray RH, Goldstein IJ (1980) Differential lectin binding to cellular membranes in the epidermis of the newborn rat. *Proc Natl Acad Sci USA* 77:477-479

Braun-Falco O, Weber G (1958) Zur Histo- und Biochemie des epidermalen Interzellularraumes unter normalen und pathologischen Verhältnissen. *Arch Klin Exp Dermatol* 207:459-471

Breathnach AS (1971) An atlas of the ultrastructure of human skin. J&A Churchill, London, pp 398

Brown JP, Kiyoshi N, Hellström J, Hellström KE (1981) Structural characterization of human melanoma-associated antigen p97 with monoclonal antibodies. *J Immunol* 127:539-546

Brunner G (1982) Differential specificity of substrate-attached lectins stimulating spreading of GH₃-cells under serum-free, hormone-supplemented culture conditions. *Cell Tissue Res* 224:553-561

Brysk MM, Snider JM (1982) The effect of the state of differentiation on labeling of epidermal cell surface glycoproteins. *J Invest Dermatol* 78:366-370

Bumol TF, Reisfeld RA (1982) A unique glycoprotein-proteoglycan complex defined by monoclonal antibody on human melanoma cells. *Proc Natl Acad Sci USA* 79:1245-1249

Burry RW, Wood JG (1979) Contributions of lipids and proteins to the surface charge of membranes. *J Cell Biol* 82:726-741

Carlsson HE, Lönngren J, Goldstein IJ, Christner JE, Jourdain JW (1976) The interaction of Wheatgerm agglutinin with Keratan from cornea and nasal cartilage. *FEBS-Lett* 62:38-40

Cherry RJ (1979) Rotational and lateral diffusion of membrane proteins. *Biochim Biophys Acta* 559:289-327

Chung JC, Grayson S, Elias PM (1982) Divergent effects of retinoids on epidermal glycoconjugate synthesis in organ culture vs. monolayer culture. *J Cell Biol* 95:61a

Cohen J, Szabo G (1968) Study of pigment donation in vitro. *Exp Cell Res* 50: 418-434

Cruickshank CND, Harcourt SA (1964) Pigment donation in vitro. *J Invest Dermatol* 42:183-189

Cuatrecasas P (1973) Interaction of Vibrio cholerae enterotoxin with cell membranes. *Biochemistry* 12:3547-3558

Czihak G, Langer H, Ziegler H (Hrsg) (1978) *Biologie: Ein Lehrbuch für Studenten der Biologie*, 2. Auflage, Springer-Verlag, Berlin-Heidelberg-New York, pp 861

Danielli JF, Davson H (1935) A contribution to the theory of permeability of thin films. *J Cell Comp Physiol* 5:495-508

Danon D, Goldstein L, Marikovsky Y, Skutelsky E (1972) Use of cationized ferritin as a label of negative charges on cell surfaces. *J Ultrastr Res* 38:500-510

Davies HW, Trotter MD (1981) Synthesis and turnover of membrane glycoconjugates in monolayer culture of pig and human epidermal cells. *Brit J Dermatol* 104:649-658

Debray H, Decout D, Strecker G, Spik G, Montreuil J (1981) Specificity of twelve lectins towards oligosaccharides and glycopeptides related to N-glycosylproteins. *Eur J Biochem* 117:41-55

Decker JM (1980) Lectin-like molecules on murine thymocytes and splenocytes. I. Molecules specific for the oligosaccharide moiety of the fetal alpha-globulin fetuin. *Mol Immunol* 17:803-808

Dexter DD, Calabresi P (1982) Intraneoplastic diversity. *Biochim Biophys Acta* 695:97-112

Edidin M (1981) Molecular motions and membrane organization and function. In: Finean JB, Michell RH (Hrsg) Membrane structure. Elsevier/North Holland Bio-medical Press, pp 37-100

Eldridge A, Elson E, Webb W (1980) Fluorescence photobleaching recovery measurements of surface lateral mobility on normal and SV-40 transformed mouse fibroblasts. *Biochemistry* 19:2075-2079

Eisinger M, Marko O (1982) Selective proliferation of normal human melanocytes in vitro in the presence of phorbol ester and cholera toxin. *Proc Natl Acad Sci USA* 79:2018-2022

Erlanger BF, Kokowsky N, Cohen W (1961) The preparation and properties of two new chromogenic substrates of trypsin. *Arch Biochem Biophys* 95:271-278

Farr AG, Nakane PK (1981) Immunohistochemistry with enzyme labeled antibodies: a brief review. *J Immunol Methods* 47:129-144

Fawcett DW (1981) The cell. 2. Auflage. WB Saunders Company, Philadelphia, pp 862

Ferrone S, Reisfeld RA (Hrsg) (1982) Melanoma. Antigens and antibodies. Plenum Press, New York, pp 445

Fidler IJ, Gersten DN, Hart JR (1978) The biology of cancer invasion and metastasis. *Adv Cancer Res* 28:149-250

Fitzpatrick TB, Szabo G, Seiji M, Quevedo WC (1979) Biology of the melanocyte system. In: Fitzpatrick TB et al (Hrsg) Dermatology in General Medicine, McGraw Hill, New York, pp 131-163

Fitzpatrick TB, Breathnach AS (1963) Das epidermale Melanin-Einheit-System. *Dermatol Wochenschr* 147:481-489

Foa C, Aubert C (1977) Ultrastructural comparison between cultured and tumor cells of human malignant melanoma. *Cancer Res* 37:3957-3963

Fogel M, Altevogt P, Schirrmacher V (1983) Metastatic potential severely altered by changes in tumor cell adhesiveness and cell surface sialylation. *J Exp Med* 157:371-376

Fowlkes BJ, Waxdal MJ, Sharroff SO, Thomas CA, Asovsky R, Mathieson BJ (1980) Differential binding of fluorescein-labeled lectins to mouse thymocytes: subsets revealed by flow microfluorometry. *J Immunol* 125:623-630

Frazier W, Glaser L (1979) Surface components and cell recognition. *Ann Rev Biochem* 48:491-523

Fritsch P (1983) Dermatologie. Springer Verlag, Berlin-Heidelberg, New York (in Druck)

Fritsch P, Tappeiner G, Pohlin G, Schuler G (1981) The culture of normal mammalian melanocytes. In: R Marks, E Christophers (Hrsg) The Epidermis in Disease. MTP Ltd, Lancaster, UK, pp 459-473

Fritsch P, Tappeiner G, Kaaserer G (1979a) Pure melanocyte cultures: Differential serum requirement in primary epidermal cell cultures. *Arch Derm Res* 265: 181-187

Fritsch P, Tappeiner G, Huspek G (1979b) Keratinocyte substrate adhesion is magnesium-dependent and calcium independent. *Cell Biol Int Rep* 3:593-598

Fritsch PO, Wolff K, Höningmann H (1975) Glycocalyx of epidermal cells in vitro. Demonstration and enzymatic removal. *J Invest Dermatol* 64:30-37

Frenk E, Shellhorn JP (1969) Zur Morphologie der epidermalen Melanineinheit. *Dermatologica* 139:271-277

Frye LD, Edidin M (1970) The rapid intermixing of cell surface antigens after formation of mouse-human heterokaryons. *J Cell Sci* 7:319-335

Gahmberg CG (1981) Membrane glycoproteins and glycolipids: structure, localization and function of the carbohydrate. In: JB Finean, RH Michell: *Membrane Structure*. Elsevier/North Holland Biomedical Press, pp 127-160

Gahmberg CG, Andersson LC (1977) Selective radioactive labeling of cell surface sialoglycoproteins by periodate-tritiated borohydride. *J Biol Chem* 252:5888-5894

Gahmberg CG, Hakomori SJ (1973) External labeling of cell surface galactose and galactosamine in glycolipid and glycoprotein of human erythrocytes. *J Biol Chem* 248:4311-4317

Gall WE, Edelman GM (1981) Lateral diffusion of surface molecules in animal cells and tissues. *Science* 213:903-905

Garcia RJ, Flynn E, Szabo G (1979) Ultrastructure of melanocyte-keratinocyte interactions. In: *Pigment Cell*, Vol 4, Karger Basel, pp 299-307

Garrod DR, Nicol A (1981) Cell behaviour and molecular mechanisms of cell-cell adhesion. *Biol Rev* 56:199-242

Gasic G, Berwick L, Sorrentino M (1968) Positive and negative colloidal iron as cell surface electron stains. *Lab Invest* 18:63-71

Goldman R, Sharon N, Lotan R (1976) A differential response elicited in macrophages on interaction with lectins. *Exp Cell Res* 99:408-422

Goldstein IJ, Hayes CE (1978) The lectins: carbohydrate-binding proteins of plants and animals. *Adv Carb Chem Biochem* 35:127-340

Gommans JM, Van den Hurk JMA (1981) Lectin binding studies on suspensions of isolated epidermal keratinocytes. *Brit J Dermatol* 104:641-648

Gorter E, Grendel F (1925) On bimolecular layers of lipoids on the chromocytes of the blood. *J Exp Med* 41:439-443

Graham RC, Karnovsky MJ (1966) The early stages of absorption of injected horseradish peroxidase in the proximal tubules of mouse kidney: ultrastructural cytochemistry by a new technique. *J Histochem Cytochem* 14:291-302

Green H, Kehinde O, Thomas J (1979) Growth of cultured human epidermal cells into multiple epithelia suitable for grafting. Proc Natl Acad Sci USA 76:5665-5668

Grinnell F, Hays DG (1978) Induction of cell spreading by substratum adsorbed ligands directed against the cell surface. Exp Cell Res 116:275

Grinnell F, Anderson RGW, Hackenbrock CR (1976) Glutaraldehyde induced alterations of membrane anionic sites. Biochim Biophys Acta 426:772-775

Grinnell F, Tobleman MQ, Hackenbrock CR (1975) The distribution and mobility of anionic sites on the surface of baby hamster kidney cells. J Cell Biol 66: 470-479

Hakim AA (1981) Variability of the cell surface in human malignant melanoma. Cellul Molec Biol 27:61-70

Hakomori S (1981) Glycosphingolipids in cellular interaction, differentiation and oncogenesis. Ann Rev Biochem 50:733-764

Hakomori S (1980) Possible role of glycolipid in development, cell growth regulation, and transformation. In: Hynes RO, Fox FC (Hrsg) Tumor Cell surfaces and Malignancy. Alan R Liss, New York, pp 873-886

Haller O, Gidlund M, Hellström U, Hammorström S, Wigzell H (1978) A new surface marker on mouse natural killer cells: receptors for Helix pomatia A hemagglutinin. Eur J Immunol 8:765-771

Hirobe T (1982a) Genes involved in regulating the melanocyte and melanoblast-melanocyte populations in the epidermis of newborn mouse skin. J Exp Zool 223: 257-264

Hirobe T (1982b) Origin of melanosome structures and cytochemical localizations of tyrosinase activity in differentiating epidermal melanocytes of newborn mouse skin. J Exp Zool 224:355-363

Hixon DC, Miller CM, Maruyama K, Walborg EF Jr, Wagner S, Starling JJ, Bowen JM (1979) A statistical evaluation of the binding of ferritin-conjugated lectins to the surface of rat cells. J Histochem Cytochem 27:1618-1629

Höchli M, Hackenbrock CR (1976) Fluidity in mitochondrial membranes. Thermotropic lateral translational motion of intramembrane particles. Proc Natl Acad Sci USA 73:1636-1640

Holmgren J, Lönnroth J, Måansson JE, Svennerholm L (1975) Interaction of cholera toxin and membrane GM1 ganglioside of small intestine. Proc Natl Acad Sci USA 72:2520-2524

Holt PJA, Hill Anglin J, Nordquist JR, Nordquist RE (1979) Localization of specific carbohydrate configurations in human skin using fluorescein-labelled lectins. Brit J Dermatol 100:237-245

Horisberger M (1979) Evaluation of colloidal gold as a cytochemical marker for transmission and scanning electron microscopy. Biol Cellulaire 36:253-258

Houghton AN, Oettgen HF, Old LJ (1981) Malignant melanoma. Current status of the search for melanoma-specific antigens. In: Immunodermatology. Safai B, Good RA (Hrsg) Plenum Publishing Corp, New York, pp 557

Hynes RO, Destree AT, Perkins ME, Wagner DD (1979) Cell surface fibronectin and onogenic transformation. *J Supramol Struct* 11:95-104

Imai K, Wilson BS, Bigotti A, Natali PG, Ferrone S (1982) A 94.000 Dalton glycoprotein expressed by human melanoma and carcinoma cells. *J Natl Cancer Inst* 68:761-765

Ito S (1965) The surface coat of enteric microvilli. *J Cell Biol* 27:475-491

Jacobson K, Elson E, Koppel D, Webb W (1983) International workshop on the application of fluorescence photobleaching techniques to problems in cell biology. *Fed Proc* 42:72-79

Jimbow K, Kukita A (1971) Fine structure of pigment granules. In: Kawamura T et al (Hrsg) Biology of normal and abnormal melanocytes. Univ of Tokyo Press, Tokyo, pp 171-193

Jungermann K, Möhler H (1980) Biochemie: Lehrbuch für Studenten der Medizin, Biologie und Pharmazie, Springer-Verlag, Berlin-Heidelberg-New York, pp 733

Jungery M, Boyle D, Patel T, Pasvol G, Weatherall DJ (1983) Lectin-like polypeptides of *P. falciparum* bind to red cell sialoglycoproteins. *Nature* 301: 704-705

Kanwar YS, Farquhar MG (1979) Anionic sites in the glomerular basement membrane. In vivo and in vitro localization to the laminae rarae by cationic probes. *J Cell Biol* 81:137-153

Karnovsky MJ (1965) A formaldehyde-glutaraldehyde fixative of high osmolality for use in electron microscopy. *J Cell Biol* 27:137A-138A

Kieda C, Roche AC, Delmotte F, Monsigny M (1979) Lymphocyte membrane lectins. Direct visualization by the use of fluoresceinyl-glycosylated cytochemical markers. *FEBS Lett* 99:329-332

Kieda C, Delmotte F, Monsigny M (1977) Preparation and properties of glycosylated cytochemical markers. *FEBS Lett* 76:257-261

Kimura A, Wigzell H, Holmquist G, Ersson B, Carlsson P (1979) Selective affinity fractionation of murine cytotoxic T lymphocytes (CTL). Unique lectin specific binding of the CTL associated surface glycoprotein, T 145. *J Exp Med* 149: 473-484

King JA, Tabiowo A, Williams RH (1980) Incorporation of L-(³H) Fucose and D-(³H) Glucosamine into cell surface associated glycoconjugates in epidermis of cultured pig skin slices. *Biochem J* 190:65-77

King JA, Paul CJ, Gray GM (1981) Possible alterations of epidermal plasma membrane glycoproteins in psoriasis. In: Marks R, Christophers E (Hrsg) The Epidermis in Disease. MTP Press Ltd, Lancaster, pp 321-331

- Klaus SN (1980) Prospect for growing normal human melanocytes in vitro. In: Methods in cell biology, Vol 21A, Plenum Press, New York, pp 277-288
- Klaus SN (1969) Pigment transfer in mammalian epidermis. Arch Dermatol 100: 756-762
- Klima J (1975) Zytologie. 2. Auflage, Verlag Gustav Fischer, Stuttgart, pp 229
- Kolb H, Kolb-Bachofen V, Schlepper-Schäfer J (1979) Cell contacts mediated by D-Galactose specific lectins on liver cells. Biol Cellulaire 36:301-308
- Komura J, Ofuji S (1967) Phosphotungstic acid stain and epidermal cell surface. J Invest Dermatol 49:391-395
- Koszinowski UH, Kramer M (1981) Selective inhibition of T-suppressor-cell function by a monosaccharide. Nature 289:181-184
- De Laat SW, Van der Saag PT, Elson E, Schlessinger J (1979) Lateral diffusion of membrane lipids and proteins is increased specifically in neurites of differentiating neuroblastoma cells. Biochim Biophys Acta 558:247-250
- De Laat SW, Van der Saag PT, Elson E, Schlessinger J (1980) Lateral diffusion of membrane lipids and proteins during the cell cycle of neuroblastoma cells. Proc Natl Acad Sci USA 77:1526-2528
- Leak LV (1982) Polycationic ferritin binding to diaphragmatic mesothelial and lymphatic endothelial cells. J Cell Biol 95:103a
- Lee YC, Stowell C, Krantz MJ (1976) 2-imino-2-methoxyethyl-1-thioglycosides: new reagents for attaching sugars to proteins. Biochemistry 15:3956-3962
- Lindahl U, Höök M (1978) Glycosaminoglycans and their binding to biological macromolecules. Ann Rev Biochem 47:358-417
- Lis H, Sharon N (1981) Lectins in higher plants. In: Marcus A (Hrsg) The Biochemistry of plants. A comprehensive treatise. Vol 6, Proteins and nucleic acids. Academic Press, New York, pp 371-447
- Lloyd KO, Travassos LR, Takahashi T, Old LJ (1979) Cell surface glycoproteins of human tumor cell lines: unusual characteristics of malignant melanoma. J Natl Cancer Inst 63:623-634
- Lloyd CW (1975) Sialic acid and the social behaviour of cells. Biol Rev 50: 325-350
- Lotan R, Skutelsky E, Danon D, Sharon N (1975) The purification, composition and specificity of the anti-T lectin from peanut (*Arachis hypogaea*). J Biol Chem 250:8518-8523
- Lotan R (1979) Qualitative and quantitative aspects of labeling cell surface carbohydrates using lectins as probes. In: Becker RP, Johari O (Hrsg) Cell Surface Labeling, Scanning Electron Microscopy Inc, pp 549-564

- Luft JH (1971) Ruthenium red and violet. I. Chemistry, purification, methods of use for electron microscopy and mechanisms of action. *Anat Rec* 171:347-368
- MacKie RM, Hunter JAA (1982) Cutaneous malignant melanoma in Scotland. *Br J Cancer* 46:75-80
- Mann PR, Williams RH, Gray GM (1980) Distribution of glycoproteins containing fucose in normal and psoriatic keratinocytes. *Brit J Dermatol* 102:649-657
- Mannweiler K, Hohenberg H, Bohn W, Rutter G (1982) Protein-A gold particles as markers in replicaimmunocytochemistry. High resolution electron microscope investigations of plasma membrane surface. *J Microscopy* 126:145-149
- Marikovsky Y, Inbar M, Danon D, Sachs L (1974) Distribution of surface charge and Concanavalin A-binding sites on normal and malignant transformed cells. *Exp Cell Res* 89:359-367
- Maul GG, Brumbaugh JA (1971) On the possible function of coated vesicles in melanogenesis of regenerating fowl feather. *J Cell Biol* 48:41-48
- Maul GG (1969) Golgi-melanosome relationship in human melanoma in vitro. *J Ultrastruct Res* 26:163-176
- Maslow DE, Harlos JP (1981) The effect of neuraminidase- and ribonuclease-susceptible surface anionic groups on the aggregation of embryonic chick neural retina. *J Cell Sci* 51:229-240
- Mayhew E, Weiss L (1981) Some observations on the nature of cell surface RNA. *Cell Biophys* 3:29-39
- Maylié-Pfenninger MF, Jamieson JD (1980) Development of cell surface saccharides on embryonic pancreatic cells. *J Cell Biol* 86:96-103
- Maylié-Pfenninger MF, Jamieson JD (1979) Distribution of cell surface saccharides on pancreatic cells. II. Lectin labeling patterns on mature guinea pig and rat pancreatic cells. *J Cell Biol* 80:77-95
- Mercer EH, Jahn RA, Maibach HI (1968) Surface coats containing polysaccharides on human epidermal cells. *J Invest Dermatol* 51:204-214
- Merishi JN (1972) Molecular aspects of the mammalian cell surface. *Prog Biophys Mol Biol* 25:1-68
- Mitchell KF, Fuhrer JP, Steplewski Z, Koprowski H (1980) Biochemical characterization of human melanoma cell surfaces: dissection with monoclonal antibodies. *Proc Natl Acad Sci USA* 77:7287-7291
- Moller PC, Chang JP (1978) Internalization of cationized ferritin receptors by rat hepatoma ascites cells. *Exp Cell Res* 114:39-45
- Monsigny M, Kieda C, Roche AC (1979a) Membrane lectins. *Biol Cellulaire* 36: 289-300
- Monsigny M, Schrével J (1979) Vorwort zu: Membrane glycoconjugates. *Biol Cellulaire* 36:209-216

Monsigny M, Sene C, Obrenovitch A, Roche AC, Delmotte F, Boschetti E (1979b) Properties of succinylated Wheatgerm Agglutinin. *Eur J Biochem* 98:39-45

Monsigny M, Roche AC, Kieda C (1978) Lectins as tools to study cell surface glycoconjugates. In: Centre de Biophysique Moléculaire (Hrsg) *Structure and function of biological membranes. Molecular aspects.* Kommission der Europäischen Gemeinschaften, Brüssel, pp 161-234

Mullin BR, Fishman PH, Lee G, Aloj SM, Ledley FD, Winand RJ, Kohn LD, Brady RO (1976) Thyrotropin-ganglioside interactions and their relationship to the structure and function of thyrotropin receptors. *Proc Natl Acad Sci USA* 73:842-846

Murphy LA, Goldstein IJ (1977) Five alpha-D-galactopyranosyl-binding isolectins from Bandieraea (=Griffonia, Anm. d. Verf.) simplicifolia seeds. *J Biol Chem* 252:4739-4742

Nemanic MK, Elias PM (1979) Localization and identification of sugars in mammalian epidermis. *J Cell Biol* 83:46a

Nicolson GL (1982) Cancer metastasis. Organ colonization and the surface properties of malignant cells. *Biochim Biophys Acta* 695:113-176

Nicolson GL (1980) Lectin interactions with normal and tumor cells and the affinity purification of tumor cell glycoproteins. In: Sell S (Hrsg) *Cancer Markers. Diagnostic and Developmental Significance*, Humana Press Clifton, NJ, pp 403-443

Nicolson GL (1976) Transmembrane control of the receptors on normal and tumor cells. II. Surface changes associated with transformation and malignancy. *Biochim Biophys Acta* 458:1-72

Nicolson GL, Winkelhake JL (1975) Organ specificity of blood-borne tumour metastasis determined by cell adhesion. *Nature (Lond.)* 255:230-232

Nicolson GL, Singer SJ (1974) The distribution and asymmetry of mammalian cell surface saccharides utilizing ferritin conjugated plant agglutinins as specific saccharide stains. *J Cell Biol* 60:236-248

Nieland ML (1973) Epidermal intercellular staining with fluorescein-conjugated phytohemagglutinins. *J Invest Dermatol* 60:61-66

Novikoff AB, Novikoff PM, Quintana N, Davies C (1972) Diffusion artifacts in 3,3'-diaminobenzidine cytochemistry. *J Histochem Cytochem* 20:745-751

Ofek J, Beachey EH, Sharon N (1978) Surface sugars of animal cells as determinants of recognition in bacterial adherence. *Trends Biochem Sci* 3:159-160

Old LJ (1981) Cancer immunology: The search for specificity. GHA Clowes Memorial Lecture. *Cancer Res* 41:361-375

Olden K, Parent JB, White SL (1982) Carbohydrate moieties of glycoproteins. A re-evaluation of their function. *Biochim Biophys Acta* 650:209-232

Overton E (1899) Über die allgemeinen osmotischen Eigenschaften der Zelle, ihre vermutlichen Ursachen und ihre Bedeutung für die Physiologie. *Vierteljahrsschr Naturforsch Ges Zürich* 44:88

Oppenheim-Marks N, Grinnell F (1981) Effect of plant lectins on the adhesive properties of baby hamster kidney cells. *Eur J Cell Biol* 23:286-294

Parham P, Alpert BN, Orr HT, Strominger JL (1977) Carbohydrate moiety of HLA-antigens. Antigenic properties and amino acid sequences around the site of glycosylation. *J Biol Chem* 252:7555-7567

Paul J (1980) *Zell- und Gewebekulturen*. Walter de Gruyter, Berlin-New York, pp 464

Pauli BV, Marikovsky Y, Weinstein RS (1982) Surface charge distribution in normal and transformed rat bladder epithelial cells in vitro. *J Cell Biol* 95: 106a

Paulson JC, Sadler EJ, Hill RL (1979) Restoration of specific myxovirus receptors to asialoerythrocytes by incorporation of sialic acid with pure sialyltransferase. *J Biol Chem* 254:2120-2124

Pena SDJ, Gordon BB, Karpati G, Carpenter S (1981) Lectin histochemistry of human skeletal muscle. *J Histochem Cytochem* 29:542-546

Pfenninger KH, Maylié-Pfenninger MF (1981) Lectin labeling of sprouting neurons. I. Regional distribution of surface glycoconjugates. *J Cell Biol* 89:536-546

Prota G (1980) Recent advances in the chemistry of melanogenesis in mammals. *J Invest Dermatol* 75:122-127

Prunieras M, Moreno G, Dosso Y, Vinzens F (1976) Studies on guinea pig skin cell cultures. V. Co-culture of pigmented melanocytes and albino keratinocytes, a model for the study of pigment transfer. *Acta Dermatovener (Stockholm)* 56:1-9

Prunieras M (1969) Interactions between keratinocytes and dendritic cells. *J Invest Dermatol* 52:1-17

Quevedo WC, Fleischmann RD (1980) Developmental biology of mammalian melanocytes. *J Invest Dermatol* 75:116-120

Raedler A, Raedler E, Arndt R, Thiele HG (1981a) Centroblasts and centrocytes display receptors for peanut lectin. *Immunol Lett* 2:335-338

Raedler E, Raedler A, Feldhaus S (1981b) Varying expressions of lectin receptors within embryonic cell layers of murine cerebral cortex. *Anat Embryol* 162: 21-28

Rauvala H, Finne J (1979) Structural similarity of the terminal carbohydrate sequences of glycoproteins and glycolipids. *FEBS Letters* 97:1-8

Rawles ME (1948) Origin of melanophores and their role in development of color patterns in vertebrates. *Physiol Rev* 28:383-408

- Raz A, Lotan R (1981) Lectin-like activities associated with human and murine neoplastic cells. *Cancer Res* 41:3642-3647
- Raz A, McLellan WL, Hart IR, Bucana CD, Hoyer LC, Sela BA, Dragsten P, Fidler JJ (1980a) Cell surface properties of B-16 melanoma variants with differing metastatic potential. *Cancer Res* 40:1645-1651
- Raz A, Bucana C, McLellan W, Fidler JJ (1980b) Distribution of membrane anionic sites on B-16 melanoma variants with differing lung colonising potential. *Nature* 284:363-364
- Reano A, Faure M, Jacques Y, Reichert U, Schäfer H, Thivolet J (1982) Lectins as markers of human epidermal cell differentiation. *Differentiation* 22:205-210
- Reisner Y, Pahwa S, Chiao WJ, Sharon N, Evans RL, Good RA (1980) Separation of antibody helper and antibody suppressor human T cells by using soybean agglutinin. *Proc Natl Acad Sci USA* 77:6778-6782
- Reisner Y, Biniaminov M, Rosenthal E, Sharon N, Ramot B (1979) Interaction of peanut agglutinin with normal human lymphocytes and with leukemic cells. *Proc Natl Acad Sci USA* 76:447-451
- Reisner Y, Jtzicovitch L, Meshorer A, Sharon N (1978) Hemopoietic stem cell transplantation using mouse bone marrow and spleen cells fractionated by lectins. *Proc Natl Acad Sci USA* 75:2933-2936
- Revel JP, Karnovsky MJ (1967) Hexagonal array of subunits in intercellular junctions of the mouse heart and liver. *J Cell Biol* 33:C7-C12
- Reynolds ES (1963) The use of lead citrate of high pH as an electron-opaque stain in electron microscopy. *J Cell Biol* 17:208-212
- Rheinwald JG (1980) Serial cultivation of normal human epidermal keratinocytes. In: *Methods in cell biology*, Vol 21A, Plenum Press, New York, pp 229-254
- Richard Y, Boumsell L, Coppin H, Mishall Z, Lemerie J, Bernard A (1981) Correspondence between lectin-defined and surface antigen-defined cell subpopulations in the human thymus: its variation during ontogeny. *J Immunol* 127:252-255
- Riley PA (1975) Growth inhibition in normal mammalian melanocytes in vitro. *Br J Dermatol* 92:291-304
- Roberts GP (1978) Lactoperoxidase-catalysed iodination of surface proteins on human melanoma cells. *Br J Cancer* 38:114-121
- Robertson DJ (1981) Membrane structure. *J Cell Biol* 91:189s-204s
- Robertson JD (1957) New observations on the ultrastructure of the membranes of frog peripheral nerve fibres. *J Physiol (Lond.)* 14=58-59
- Roe DA, Flesch P, Esoda ECJ (1961) Present status of epidermal mucopolysaccharides. *Arch Dermatol* 84:213-218
- Romani N, Schuler G, Fritsch P (1982) Differences of lectin receptor expression of melanocytes and keratinocytes in vitro. *Arch Derm Res* 273:179

- Romani N, Schuler G, Fritsch P (1983a) Identical lectin binding patterns of human melanocytes and melanoma cells in vitro. *J Invest Dermatol* 80:272-277
- Romani N, Schuler G, Fritsch P (1983b) Distribution of anionic sites on human melanocytes and human melanoma cells in culture. *Arch Derm Res* (in Druck)
- Rose ML, Malchiodi F (1981) Binding of peanut lectin to thymic cortex and germinal centres of lymphoid tissue. *Immunol* 42:583-591
- Roth J (1978) The lectins. Molecular probes in cell biology and membrane research. *Exp Pathol, Suppl 3*, VEB Gustav Fischer Verlag, Jena, DDR, pp 185
- Schlepper-Schäfer J, Kolb-Bachofen V, Kolb H (1980) Analysis of lectin-dependent recognition of desialylated erythrocytes by Kupffer cells. *Biochem J* 186:827-831
- Schuler G, Romani N, Linert J, Shevach EM, Stingl G (1983) Subsets of epidermal Langerhans cells as defined by lectin binding profiles. *J Invest Dermatol* (in Druck)
- Schuler G, Romani N, Fritsch PO (1982) Differential lectin binding to mammalian keratinocytes and melanocytes in vitro. *Eur J Cell Biol* 27:88-95
- Schuler G, Pohlin G, Fritsch PO (1981) Differences of cell surface label distribution and redistribution patterns between mammalian keratinocytes and melanocytes in culture. *J Invest Dermatol* 77:347-352
- Seiji M, Fitzpatrick TB, Birbeck MSC (1961) The melanosome: a distinctive subcellular particle of mammalian melanocytes and the site of melanogenesis. *J Invest Dermatol* 36:243-252
- Sharon N, Lis H (1982) Glycoproteins. In: Neurath H, Hill RL (Hrsg) *The Proteins*, Vol V, Academic Press
- Sharon N (1981) Cell surface receptors for lectins: markers of murine and human lymphocyte subpopulations. In: Fougerousse M, Dausset J (Hrsg) *Progress in Immunology IV*, Vol I, Academic Press, London-New York, pp 224-273
- Sharon N, Lis H (1975) Use of lectins for the study of membranes. In: Korn ED (Hrsg) *Methods in membrane biology*, Vol 3, Plasma membranes. Plenum Press, New York, pp 147-200
- Shepherd VL, Lee YC, Schlesinger PH, Stahl PD (1981) L-fucose terminated glycoconjugates are recognized by pinocytosis receptors on macrophages. *Proc Natl Acad Sci USA* 78:1019-1022
- Sherbet GV (1978) The biophysical characterisation of the cell surface. Academic Press, London-New York-San Francisco, pp
- Shinitzky M, Henkart P (1979) Fluidity of cell membranes. Current concepts and trends. *Int Rev Cytol* 60:121-147
- Sieber-Blum M, Cohen AM (1978) Lectin binding to neural crest cells. Changes of the cell surface during differentiation in vitro. *J Cell Biol* 76:628-638

Simionescu M, Simionescu N, Palade GE (1982) Differentiated microdomains on the luminal surface of capillary endothelium: Distribution of lectin receptors. *J Cell Biol* 94:406-413

Simionescu M, Simionescu N, Silbert JE, Palade GE (1981a) Differentiated micro-domains on the luminal surface of capillary endothelium. I. Preferential distribution of anionic sites. *J Cell Biol* 90:605-613

Simionescu M, Simionescu N, Silbert JE, Palade GE (1981b) Differentiated micro-domains on the luminal surface of capillary endothelium. II. Partial characterization of their anionic sites. *J Cell Biol* 90:614-621

Simpson DL, Thorne DR, Loh HH (1978) Lectins: endogenous carbohydrate binding proteins from vertebrate tissues. Functional role in recognition processes. *Life Sci* 22:727-748

Singer SJ, Nicolson GL (1972) The fluid mosaic model of the structure of cell membranes. *Science* 175:720-731

Skutelsky E, Bayer EA (1979) The ultrastructural localisation of cell surface glycoconjugates: affinity cytochemistry via the avidin-biotin complex (a review). *Biol Cellulaire* 36:237-252

Skutelsky E, Lotan R, Sharon N, Danon D (1977) Distribution of the T-antigen on erythroid cell surfaces. Studies with peanut agglutinin, an anti-T specific lectin. *Biochim Biophys Acta* 467:165-174

Skutelsky E, Hardy B (1976) Regeneration of plasmalemma and surface properties in macrophages. *Exp Cell Res* 101:337-345

Skutelsky E, Danon D (1976) Redistribution of surface anionic sites on the luminal front of blood vessel endothelium after interaction with polycationic ligand. *J Cell Biol* 71:232-241

Stahl P, Gordon S (1982) Expression of a mannosyl-fucosyl receptor for endocytosis on cultured primary macrophages and their hybrids. *J Cell Biol* 93:49-56

Stanley WS, Peters BP, Blake DA, Yep D, Chu HYE, Goldstein IJ (1979) Interaction of wild-type and variant mouse 3T3 cells with lectins from *Bandieraea simplicifolia* seeds. *Proc Natl Acad Sci USA* 76:303-307

Starck D (1975) *Embryologie: Ein Lehrbuch auf allgemein biologischer Grundlage*, 3. Auflage, Georg Thieme Verlag, Stuttgart, pp 704

Stingl G (1980) New Aspects of Langerhans' cell function. *Int J Dermatol* 19: 189-213

Stingl G, Wolff-Schreiner EC, Pichler WJ, Gschnait F, Knapp W, Wolff K (1977) Epidermal Langerhans cell bear Fc and C3 receptors. *Nature* 268:245-246

Stingl G, Katz SI, Shevach EM, Wolff-Schreiner E, Green J (1978) Detection of Ia antigens of Langerhans cells in guinea pig skin. *J Immunol* 120:570-578

Sugimoto Y (1981) Effect on the adhesion and locomotion of mouse fibroblasts by their interacting with differently charged substrates. *Exp Cell Res* 135: 39-45

Taylor RB, Duffus WPH, Raff MC, De Petris S (1971) Redistribution and pinocytosis of lymphocyte surface immunoglobulin molecules induced by anti-immunoglobulin antibody. *Nature New Biol* 233:225-229

Temmink JHM (1979) Application of cytochemical methods to electron microscope investigations of cell surface receptors. *Biol Cellulaire* 36:227-236

Temmink JHM, Collard JG, Spits H, Roos E (1975) A comparative study of four cytochemical detection methods of Concanavalin A binding sites on the cell membrane. *Exp Cell Res* 92:307-322

Terhorst C, Parham P, Mann DL, Strominger JL (1976) Structure of HLA-antigens Amino-acid and carbohydrate compositions and NH₂-terminal sequences of four antigen preparations. *Proc Natl Acad Sci USA* 73:910-914

Thyberg J (1980) Internalization of cationized ferritin into the Golgi complex of cultured mouse peritoneal macrophages. Effects of colchicine and cytochalasin B. *Eur J Cell Biol* 23:95-103

Toda N, Doi A, Jimbo A, Matsumoto J, Sena N (1981) Interaction of sulfated glycosaminoglycans with lectins. *J Biol Chem* 256:5345-5349

Wall DA, Hubbard AL (1981) Galactose-specific recognition system of mammalian liver: receptor distribution on the hepatocyte cell surface. *J Cell Biol* 90: 687-696

Wallis J, Simkovits P, Pfenninger KH (1982) Plasmalemmal differentiation of the nerve terminal upon target cell contact. *J Cell Biol* 95:95a

Warren L, Buck CA, Tuszinsky GP (1978) Glycopeptide changes and malignant transformation. A possible role for carbohydrate in malignant behavior. *Biochim Biophys Acta* 516:97-127

Watkins WM (1972) Blood-group specific substances. In: Gottschalk A (Hrsg) *Glycoproteins. Their Composition, Structure and Function.* 2. Auflage, Elsevier Publications, Amsterdam-London-New York, pp 830-891

Weir DM, Stewart J, Glass E (1982) Phagocyte recognition by lectin receptors. *Immunobiol* 161:334-344

Weir DM (1980) Surface carbohydrates and lectins in cellular recognition. *Immunol today*, Elsevier/North Holland, Biochemical Press, Vol 1, pp 45-51

Weiss L, Harlos (1972) Short term interactions between cell surfaces. *Prog Surf Sci* 1:355-405

Weiss L (1969) The cell periphery. *Int Rev Cytol* 26:63-105

Wick G, Baudner S, Herzog F (1976) Immunfluoreszenz. Med. Verlagsgesellschaft mbH, Marburg/Lahn, pp 120

Williams MA (1977) Autoradiography and Immunocytochemistry. In: Glauert AM (Hrsg) *Practical Methods in Electron Microscopy*, Vol 6, Part II, Elsevier/North Holland, Amsterdam, pp 217

Wieser R, Brunner G (1982) Interaktions- und Regulations-Mechanismen der Zelle: Membranlektine-Membranglykomoleküle. Biologie in unserer Zeit 12:97-107

Wislocki GB, Fawcett DW, Dempsey EW (1951) Staining of stratified squamous epithelium of mucous membranes and skin of man and monkey by the periodic acid-Schiff method. Anat Rec 110:359-375

Wolff K, Schreiner E (1968) An electron microscopic study on the extraneous coat of keratinocytes and the intercellular space of the epidermis. J Invest Dermatol 51:418-430

Wolff K, Schreiner E (1970) Zur ultrastrukturellen Histochemie des Interzellularraumes der Epidermis. Arch Klin Exp Dermatol 237:290-295

Wolff K, Konrad K (1972) Phagocytosis of latex beads by epidermal keratinocytes in vivo. J Ultrastruct Res 39:262-280

Wolff K (1973) Melanocyte-keratinocyte interactions in vivo: the fate of melanosomes. Yale J Biol Med 46:384-396

Wolff K, Jimbow K, Fitzpatrick TB (1974) Experimental pigment donation in vivo. J Ultrastruct Res 47:400-419

Wunderlich F, Kreutz W, Mahler P, Ronai A, Heppeler G (1978) Thermotropic fluid - ordered "discontinuous" phase separation in microsomal lipids of tetrahymena. An X-ray diffraction study. Biochem 17:2005-2010

Yahara J, Edelman GM (1975) Modulation of lymphocyte receptor mobility by locally bound Concanavalin A. Proc Natl Acad Sci USA 72:1579-1583

Yeh MY, Hellström J, Abe K, Hakomori S, Hellström KE (1982) A cell surface antigen which is present in the ganglioside fraction and shared by human melanomas. Int J Cancer 29:269-275

Yogeeswaran G, Stein BS, Sebastian H (1978) Altered cell surface organization of gangliosides and sialylglycoproteins of mouse metastatic melanoma variant lines selected in vivo for enhanced lung implantation. Cancer Res 38:1336-1344

Yogeeswaran G, Salk P (1981) Metastatic potential is positively correlated with cell surface sialylation of cultured murine tumor cell lines. Science 212:1514-1516

Yogeeswaran G (1980) Surface glycolipid and glycoprotein antigens. In: Sell S (Hrsg) Cancer Markers. Diagnostic and developmental significance. Humana Press, Clifton, NJ, pp 371-401

Zieske JD, Bernstein JA (1982) Modifications of cell surface glycoprotein: addition of fucosyl residues during epidermal differentiation. J Cell Biol 95:626-631