

Universitäts- und Landesbibliothek Tirol

Klima von Innsbruck

Ekhart, Erwin

Innsbruck, 1934

Extensotabellen

1. Luftdruck

Tab. I—III.

I. 24-stündige Monats- und Jahresmittel des Luftdrucks

(B_0 und G_0 angebracht)

700 mm + ...

	Jan.	Feb.	März	April	Mai	Juni	Juli	Aug.	Sept.	Okt.	Nov.	Dez.	Jahr
1906	15.07	07.74	09.80	12.27	08.88	12.07	11.99	14.08	14.96	11.98	12.39	08.82	11.67
1907	17.22	10.11	14.77	05.34	10.74	11.82	12.45	14.30	15.31	09.35	13.27	10.35	12.08
1908	15.74	12.78	09.10	07.42	13.05	12.58	12.32	12.32	14.54	16.31	13.95	11.89	12.67
1909	15.30	11.02	03.32	11.77	13.15	10.12	11.80	13.07	12.19	12.77	10.41	08.05	11.08
1910	11.57	09.40	13.62	09.05	08.49	09.91	10.45	12.39	14.23	13.71	06.00	09.18	10.67
1911	17.68	15.95	08.69	10.32	09.57	13.17	15.57	13.60	14.31	12.48	10.29	11.93	12.79
1912	11.42	08.42	10.36	11.23	11.21	10.29	11.31	10.38	13.84	12.82	12.23	16.20	11.67
1913	12.42	16.52	14.06	08.25	10.72	14.41	11.91	13.16	12.30	13.30	14.38	13.67	12.93
1914	13.99	12.47	07.38	14.55	12.60	11.74	11.21	13.95	14.21	11.21	09.81	10.05	11.93
1915	03.19	07.35	08.25	10.09	10.17	11.49	12.14	12.63	12.39	11.46	09.77	09.38	09.86
1916	18.05	08.63	03.16	08.42	10.67	10.28	12.15	11.60	11.31	13.35	10.40	05.13	10.26
1917	05.72	11.93	05.63	08.32	11.05	13.52	12.95	10.70	15.01	09.70	14.88	12.75	11.01
1918	14.44	17.82	10.95	06.12	11.34	11.73	12.32	13.54	11.10	11.86	12.98	11.27	12.11
1919	08.21	06.80	07.00	08.31	12.22	13.56	11.21	13.43	12.89	12.45	06.03	09.82	10.16
1920	11.44	17.99	11.37	07.70	13.24	10.62	12.23	12.24	12.49	10.91	15.04	11.35	12.22
1921	14.02	14.81	14.49	09.77	09.45	12.10	12.79	10.47	14.71	16.55	12.51	13.30	12.91
1922	07.55	12.08	07.61	05.44	14.73	11.10	11.94	11.98	10.32	10.04	14.73	11.66	10.77
1923	14.83	06.11	11.03	05.64	10.87	12.48	13.54	12.38	14.63	10.63	07.65	09.24	10.74
1924	12.85	07.73	08.45	07.79	11.48	11.61	11.37	10.77	11.55	12.71	14.27	15.54	11.34
1925	21.11	09.45	09.83	07.44	08.89	11.28	11.10	12.03	11.99	11.71	08.52	09.64	11.08
1926	11.89	11.22	10.94	09.42	07.66	09.98	11.54	14.51	15.23	09.89	08.96	14.17	11.28
1927	10.29	14.27	08.43	09.80	10.88	11.11	10.72	12.40	10.05	14.02	11.42	08.01	10.95
1928	13.63	15.90	08.01	06.44	07.28	12.00	14.26	12.60	13.12	11.80	08.45	12.09	11.30
1929	14.81	13.06	16.32	07.93	10.46	11.85	13.73	13.04	14.86	10.19	10.55	11.99	12.40
1930	11.75	10.34	08.58	04.18	09.81	11.24	09.53	13.01	12.19	11.16	11.87	11.10	10.40
1931 ¹⁾	09.20	08.20	08.17	08.04	09.23	13.26	10.88	10.17	12.69	13.74	11.46	16.41	10.95
1932 ¹⁾	19.59	15.18	09.29	06.85	08.69	10.98	09.91	14.45	11.86	08.36	13.90	16.09	12.10
1933 ¹⁾	14.04	10.37	12.23	11.81	09.87	07.79	14.38	13.89	12.67	11.03	07.31	10.40	11.32
24-stünd. Mittel													
1906—30	12.97	11.60	09.65	08.52	10.74	11.68	12.10	12.58	13.19	12.09	11.23	11.06	11.45

¹⁾ 1931—33: Terminmittel. Zur Reduktion derselben auf 24-stünd. Mittel sind nachstehende mittlere Korrekturen anzubringen:

mm	0.10	0.09	0.09	0.11	-0.02	0.02	0.02	0.05	0.09	0.11	0.10	0.13	0.06
----	------	------	------	------	-------	------	------	------	------	------	------	------	------

II. Absolute Maxima des Luftdrucks (aus den Registrierungen)

(B_e und G_e angebracht)

700 mm + ...

	Jan.	Feb.	März	April	Mai	Juni	Juli	Aug.	Sept.	Okt.	Nov.	Dez.	Jahr
1906	22.5	22.3	25.2	22.1	18.8	18.9	16.6	20.0	24.0	19.0	29.0	22.0	29.0
1907	28.7	22.1	23.2	20.3	16.9	16.6	19.0	19.2	21.4	20.2	19.5	25.4	28.7
1908	25.1	26.8	18.1	19.0	24.6	18.7	18.2	18.2	22.2	22.9	23.8	25.1	26.8
1909	28.9	21.3	11.7	19.6	20.0	17.7	19.5	19.9	18.6	20.3	17.8	19.9	28.9
1910	26.0	19.6	19.8	19.6	14.1	18.5	15.4	17.5	20.8	23.1	15.7	20.9	26.0
1911	28.5	26.7	22.1	25.3	15.8	22.0	21.7	19.7	20.7	22.6	22.6	21.2	28.5
1912	24.1	21.8	21.9	23.1	20.9	17.7	16.8	17.3	19.3	22.7	22.8	23.8	24.1
1913	21.7	27.4	26.7	15.5	20.6	20.6	17.4	19.9	17.1	23.5	23.7	25.5	27.4
1914	27.0	24.2	24.7	22.5	20.5	20.4	18.1	21.1	20.8	20.7	20.5	22.8	27.0
1915	21.5	20.4	19.3	17.6	14.9	18.7	17.6	18.9	22.3	16.5	25.1	21.6	25.1
1916	27.3	20.5	21.7	19.5	20.8	16.6	18.3	19.0	17.5	21.2	24.0	19.6	27.3
1917	17.0	20.4	25.8	17.8	19.5	20.3	20.1	17.2	20.1	20.1	25.3	26.7	26.7
1918	28.0	26.1	21.3	14.6	18.2	19.0	18.2	21.2	18.8	20.9	23.2	23.2	28.0
1919	20.3	23.4	16.2	19.2	19.2	22.9	17.0	18.6	22.8	26.2	20.1	19.8	26.1
1920	26.8	29.8	25.7	15.9	24.0	18.5	22.8	17.2	18.6	17.8	25.7	20.7	29.8
1921	24.9	26.2	24.8	18.6	15.9	17.9	17.9	18.2	21.4	22.7	21.6	21.7	26.2
1922	19.7	23.2	20.6	13.1	25.9	18.7	17.5	18.0	20.3	19.5	25.4	24.1	25.4
1923	26.3	17.3	19.3	18.2	19.7	19.0	20.4	19.1	23.2	22.4	17.4	20.7	26.3
1924	25.1	21.4	21.0	26.0	18.9	18.6	18.4	18.3	18.0	22.4	23.7	23.9	26.0
1925	29.3	24.2	22.5	15.0	19.1	18.8	16.7	18.6	18.7	19.8	19.0	27.8	29.3
1926	23.1	23.5	23.2	19.6	14.9	18.0	16.8	20.8	20.3	21.5	22.7	26.5	26.5
1927	22.0	25.1	24.0	19.1	19.0	19.4	17.0	19.7	16.9	21.6	25.8	19.2	25.8
1928	25.9	28.6	21.7	20.0	16.0	20.1	19.7	20.0	18.6	22.0	23.5	24.0	28.6
1929	27.2	23.6	22.4	21.8	17.1	18.6	21.4	18.9	24.5	21.8	21.0	24.8	27.2
1930	26.0	20.5	21.1	14.3	19.4	15.9	15.3	20.5	19.1	21.9	27.3	27.7	27.7
1931	19.8	20.3	19.5	15.0	17.1	21.5	19.0	18.0	21.0	22.0	23.2	30.3	30.3
1932	31.7	26.1	16.9	18.5	18.9	17.9	16.6	21.3	21.4	15.9	22.3	26.8	31.7
1933	24.0	22.2	22.1	18.9	16.2	16.0	19.9	19.5	19.6	19.5	14.9	25.8	25.8
Mittel 1906—30	24.9	23.5	21.8	19.1	19.0	18.9	18.3	19.1	20.2	21.3	22.6	23.1	27.1

III. Absolute Minima des Luftdrucks (aus den Registrierungen)

(B_c und G_c angebracht)

600 mm + ...

	Jan.	Feb.	März	April	Mai	Juni	Juli	Aug.	Sept.	Okt.	Nov.	Dez.	Jahr
1906	97.7	97.5	93.1	97.0	94.9	103.6	104.5	107.6	104.7	97.2	94.2	89.2	89.2
1907	97.2	92.7	101.9	92.3	104.2	103.3	103.2	106.1	105.3	98.1	103.7	92.8	91.7
1908	100.1	94.9	97.8	95.5	101.8	102.9	103.3	106.4	106.7	105.3	98.1	89.6	89.6
1909	98.1	99.2	90.4	101.9	105.6	101.9	101.4	103.7	105.8	104.9	99.0	93.8	90.4
1910	86.9	96.8	99.9	100.2	102.0	97.7	104.2	104.3	107.5	103.1	92.6	94.1	86.9
1911	100.4	101.2	95.5	99.9	102.1	101.8	107.9	105.7	102.7	99.5	89.4	99.8	89.4
1912	88.3	83.5	96.5	96.5	103.0	99.6	102.8	102.7	105.7	95.6	91.2	100.9	83.5
1913	101.3	105.1	99.7	94.6	98.9	109.7	106.0	107.3	101.6	103.7	101.5	95.1	94.6
1914	99.7	90.3	92.5	100.4	104.9	99.3	103.3	106.4	99.2	94.5	97.3	93.5	90.3
1915	88.9	87.4	94.1	98.2	102.0	107.2	104.4	106.6	98.2	104.9	93.5	98.4	87.4
1916	102.0	98.3	90.5	97.0	101.9	103.2	103.2	103.0	99.1	100.7	83.2	89.4	83.2
1917	92.4	102.7	82.3	96.7	103.6	106.2	104.1	101.8	106.5	96.8	96.8	101.5	82.3
1918	91.4	99.7	98.2	98.0	101.4	102.3	106.6	105.9	99.1	101.7	103.8	96.9	91.4
1919	89.1	92.1	88.0	94.7	102.5	101.4	104.2	108.9	99.2	103.2	92.9	96.0	88.0
1920	93.8	105.7	91.6	95.9	105.3	104.8	105.5	106.3	104.2	102.7	99.0	103.1	91.6
1921	100.1	99.9	103.9	99.2	96.6	104.0	104.8	100.6	107.8	102.8	97.2	103.5	96.6
1922	93.9	95.6	93.0	93.0	101.6	104.0	103.8	103.6	97.8	99.5	90.9	93.4	90.9
1923	101.0	97.0	93.2	95.2	98.7	103.3	104.1	103.3	102.2	98.3	98.1	95.7	93.2
1924	95.3	92.0	95.9	97.2	103.5	103.0	99.9	103.0	104.2	102.3	105.6	96.5	92.0
1925	110.5	98.1	97.8	99.0	101.1	103.8	101.5	101.0	102.3	96.0	89.2	91.8	89.2
1926	101.2	95.3	98.8	96.3	94.7	101.9	104.1	109.2	107.2	93.7	89.7	100.5	89.7
1927	98.2	104.4	96.5	99.9	105.6	103.7	99.4	105.0	97.0	99.6	91.1	96.2	91.1
1928	103.3	96.1	94.4	95.9	97.6	104.7	105.4	106.9	102.8	96.2	90.6	91.9	90.6
1929	95.7	100.8	105.9	96.7	103.6	102.2	104.0	104.4	103.7	98.5	97.1	99.3	95.7
1930	96.0	89.5	96.1	90.0	98.1	105.1	96.5	102.9	103.8	97.2	92.5	98.1	89.5
1931	95.8	91.7	90.7	98.1	98.9	105.0	102.1	103.3	100.2	94.0	97.8	94.3	90.7
1932	97.6	103.4	101.6	98.4	98.4	104.2	99.4	108.5	104.8	97.6	105.5	102.9	97.6
1933	99.3	99.5	97.2	101.1	103.3	97.8	107.2	104.4	98.7	93.9	95.8	94.0	93.9
Mittel 1906—30	96.9	96.6	95.5	96.8	101.4	103.2	103.5	104.9	103.0	99.8	95.1	96.0	89.9

2. Lufttemperatur

Tab. IV—IX.

IV. Monats- und Jahresmittel der Temperatur

(7 h + 14 h + 21 h + 21 h):4

	Jan.	Feb.	März	April	Mai	Juni	Juli	Aug.	Sept.	Okt.	Nov.	Dez.	Jahr
Alte Reihe (1891—1905) ¹⁾ :													
1891	-9.5	-4.4	3.8	6.1	14.3	16.4	16.6	15.4	14.0	10.4	1.9	-1.3	7.0
1892	-3.1	2.0	2.2	8.6	13.4	15.9	16.7	18.1	13.8	8.9	3.3	-3.6	8.0
1893	-8.3	0.3	4.3	10.2	12.4	15.7	17.4	17.3	13.7	9.8	2.0	-2.6	7.7
1894	-4.3	-1.0	4.4	10.6	13.1	15.4	18.3	16.3	12.1	7.9	3.5	-3.4	7.7
1895	-5.0	-6.5	3.2	9.7	12.5	16.3	18.8	16.4	15.3	8.3	4.9	-1.3	7.7
1896	-4.0	-2.1	5.6	6.2	11.3	16.7	18.3	14.6	13.0	10.1	2.0	0.0	7.6
1897	-1.6	2.4	6.1	9.0	10.6	17.3	17.8	17.4	13.3	7.3	2.5	-2.0	8.3
1898	1.0	-0.4	4.1	10.2	13.5	15.3	16.6	18.5	14.6	10.3	5.8	-1.5	9.0
1899	-0.5	0.9	4.9	8.6	12.3	15.9	17.7	17.7	12.8	8.3	3.4	-4.5	8.1
1900	0.0	3.6	1.4	7.5	12.4	17.0	18.8	16.7	15.5	8.9	5.1	0.2	8.9
1901	-3.6	-3.7	3.7	9.1	13.2	16.6	17.9	16.8	15.0	9.3	0.6	-0.1	7.9
1902	-0.5	0.4	4.1	10.9	9.2	15.3	18.2	17.0	13.8	8.1	2.2	-1.6	8.1
1903	-4.5	1.0	6.3	5.7	13.8	15.8	17.0	17.1	13.7	9.6	2.9	-2.8	8.0
1904	-2.5	1.8	5.3	10.3	13.5	17.0	19.2	17.4	12.3	8.4	1.7	-1.5	8.6
1905	-4.1	-0.5	5.2	8.5	12.9	17.4	19.5	17.4	15.0	4.6	4.3	-1.3	8.2
Neue Reihe (seit 1906):													
1906	-2.4	-1.2	3.1	8.7	13.4	15.7	18.2	17.7	12.6	11.1	4.8	-3.8	8.2
1907	-2.8	-3.5	1.6	6.7	14.8	16.6	16.5	17.9	15.6	12.8	4.1	-0.7	8.3
1908	-5.2	-0.5	3.7	6.5	15.3	18.1	17.7	15.7	13.1	9.1	0.9	-1.5	7.7
1909	-5.9	-1.7	2.8	10.1	12.5	15.7	16.5	16.7	14.0	10.8	1.3	0.6	7.8
1910	-0.8	1.1	5.3	8.6	11.9	17.2	15.9	16.6	11.9	10.0	2.0	2.9	8.6
1911	-6.6	-1.2	5.6	8.6	13.3	15.8	19.9	19.2	15.3	9.9	5.4	1.3	8.9
1912	-1.1	3.7	6.3	7.7	13.7	17.2	17.6	15.1	9.2	7.3	-0.1	-0.8	8.0
1913	-2.1	-1.7	6.7	9.4	13.3	16.0	14.4	15.7	13.9	11.1	4.8	-0.6	8.4
1914	-7.5	1.0	5.9	10.7	12.3	15.0	16.5	18.0	13.6	8.9	2.7	1.2	8.2
1915	-1.4	0.7	3.4	9.0	16.0	18.3	17.1	15.9	12.9	6.9	0.4	2.7	8.5
1916	0.9	1.8	6.7	9.6	14.6	14.6	17.1	16.8	12.1	8.6	4.0	0.5	8.9
1917	-4.0	-2.8	3.2	5.3	16.3	18.8	18.2	17.4	16.1	7.4	2.0	-4.8	7.8
1918	-1.9	0.4	6.0	10.5	14.6	13.8	17.2	16.6	14.6	8.0	3.1	0.4	8.6
1919	-1.2	-2.0	4.9	6.2	11.5	16.0	15.1	18.3	16.0	6.1	0.7	-2.6	7.4
1920	0.1	1.7	6.7	10.5	16.3	15.9	18.1	15.8	14.5	9.2	3.2	-1.6	9.2
1921	1.6	1.1	6.7	7.6	15.5	15.5	19.6	18.2	15.4	10.6	0.1	-0.3	9.3
1922	-3.2	-1.6	5.8	8.0	14.7	16.9	17.0	17.8	12.6	7.2	0.8	-1.7	7.9
1923	-1.8	1.8	5.8	9.3	14.4	13.4	19.8	18.4	13.5	10.8	4.2	-1.9	9.0
1924	-4.4	-2.7	4.1	9.1	14.9	16.0	17.8	14.9	15.0	9.5	3.6	0.2	8.2
1925	-1.0	2.5	2.4	9.2	14.0	17.0	17.5	17.1	12.3	9.2	2.1	-2.7	8.3
1926	-1.7	5.5	4.9	10.7	12.1	13.6	17.2	16.9	15.6	9.4	7.6	-2.0	9.2
1927	-1.7	-1.2	6.3	9.1	14.4	17.2	18.1	17.2	14.5	8.0	4.5	-1.2	8.7
1928	-0.6	1.8	6.1	10.0	11.2	16.5	20.9	18.1	13.8	9.6	4.7	-3.9	9.0
1929	-7.9	-8.4	4.1	6.8	14.2	17.1	19.1	17.5	15.9	10.1	4.7	1.6	8.0
1930	1.5	0.3	6.8	10.1	12.5	20.0	17.9	16.8	14.3	8.5	5.9	-1.9	9.4
1931	-2.2	-2.6	1.2	7.5	16.4	18.0	17.4	16.1	10.3	7.8	5.5	-3.1	7.7
1932	-0.6	-4.1	2.7	8.3	13.6	15.8	18.4	19.6	18.1	8.8	3.9	1.5	8.8
1933	-4.6	-0.9	5.8	8.5	11.4	14.2	18.2	17.5	14.6	9.3	3.5	-4.9	7.7
Mittel													
1906—30	-2.4	-0.2	5.0	8.7	13.9	16.3	17.6	17.1	13.9	9.2	3.1	-0.8	8.5

¹⁾ Zur Reduktion der alten auf die neue Reihe sind an den Monats- und Jahreswerten der ersten folgende Korrekturen anzubringen:

| °C. | - 0.4 | - 0.1 | + 0.1 | + 0.2 | - 0.1 | - 0.0 | - 0.2 | - 0.2 | + 0.4 | + 0.6 | - 0.2 | - 0.4 | - 0.0 |

V. Absolute Maxima der Temperatur

(aus den Registrierungen)¹⁾

	Jan.	Feb.	März	April	Mai	Juni	Juli	Aug.	Sept.	Okt.	Nov.	Dez.	Jahr
1906	8.2	10.7	17.2	20.6	26.8	34.2	31.6	35.1	30.1	22.5	17.8	4.8	35.1
1907	7.7	8.4	15.8	18.7	30.0	31.4	31.8	31.6	25.7	22.4	16.4	6.7	31.8
1908	11.8	9.6	16.1	20.0	31.8	32.5	32.7	28.9	26.3	22.0	10.8	11.2	32.7
1909	8.0	12.3	15.9	24.9	29.3	31.8	30.0	30.0	29.0	21.9	17.0	15.0	31.8
1910	8.9	14.1	16.2	19.7	29.6	30.0	32.9	30.4	22.0	24.7	15.0	15.5	32.9
1911	2.5	11.5	21.3	25.1	28.6	28.3	36.0	31.6	30.6	22.5	17.0	12.4	36.0
1912	10.1	17.7	23.6	22.0	30.4	31.6	30.8	28.6	19.4	19.0	7.9	11.2	31.6
1913	8.6	10.1	21.1	26.5	30.1	33.0	30.0	29.1	26.0	21.9	16.6	11.4	33.0
1914	1.4	12.1	18.1	24.7	27.9	29.5	31.4	31.1	29.0	20.1	18.0	14.7	31.4
1915	8.6	9.1	18.6	24.7	29.1	33.8	30.6	29.7	25.7	18.4	13.0	16.3	33.8
1916	9.4	13.1	18.6	22.3	30.4	30.1	29.3	31.0	25.1	20.9	19.5	12.4	31.0
1917	13.8	8.2	14.5	21.3	28.5	34.2	34.8	30.5	27.6	24.1	13.7	15.6	34.8
1918	12.4	12.0	18.8	20.7	31.2	30.1	35.8	33.3	27.7	22.5	21.3	9.5	35.8
1919	11.7	11.5	18.8	19.9	27.7	31.2	29.3	31.5	29.8	24.0	16.2	8.4	31.2
1920	14.9	15.4	19.1	23.4	30.8	30.9	35.1	30.3	26.8	24.0	19.1	5.8	35.1
1921	11.5	10.6	21.8	23.1	29.1	31.6	35.1	35.7	28.3	23.0	15.5	13.3	35.7
1922	9.3	12.5	19.2	24.3	32.1	32.0	33.9	30.7	24.9	18.4	12.9	10.8	33.9
1923	5.7	10.2	19.8	22.1	31.5	30.4	36.2	37.0	26.2	24.3	17.1	4.5	37.0
1924	6.9	8.8	18.9	25.0	31.6	31.0	34.2	31.1	28.9	20.0	16.7	13.8	34.2
1925	12.4	14.7	15.2	22.5	29.2	32.7	32.8	34.2	26.8	21.0	16.4	13.3	34.2
1926	10.7	14.7	18.0	27.2	28.7	27.3	33.9	30.3	30.2	21.5	19.7	4.4	33.9
1927	5.9	13.2	19.6	25.0	30.7	34.8	32.4	31.4	27.2	17.9	19.6	12.0	34.8
1928	8.6	15.4	17.7	22.6	27.5	33.4	36.5	33.5	27.7	21.1	19.0	3.3	36.5
1929	3.5	9.2	19.5	23.4	29.3	31.9	34.3	29.4	29.2	23.6	15.7	14.6	34.3
1930	13.4	13.3	19.8	25.2	29.2	32.1	33.9	29.9	27.6	22.0	19.2	9.1	33.9
1931	11.6	10.3	16.3	19.6	33.3	33.7	32.0	32.1	24.9	21.0	17.1	15.5	33.7
1932	9.9	6.7	16.0	19.2	29.5	30.9	31.5	34.0	28.8	25.1	17.7	14.3	34.0
1933	7.1	6.5	20.2	23.0	25.4	27.1	32.1	31.6	26.7	24.0	18.3	6.2	32.1
Mittel 1906—30	9.0	11.9	18.5	23.0	29.6	31.6	33.0	31.4	27.1	21.7	16.4	10.8	33.9

¹⁾ Nur die Jahre 1906 und 1907 nach den Angaben des Extremthermometers.

VI. Absolute Minima der Temperatur

(aus den Registrierungen)¹⁾

	Jan.	Feb.	März	April	Mai	Juni	Juli	Aug.	Sept.	Okt.	Nov.	Dez.	Jahr
1906	-16.2	-14.3	-5.0	-3.0	1.3	5.4	8.2	7.0	-1.0	0.8	-5.0	-17.4	-17.4
1907	-21.1	-21.6	-7.8	-1.9	-1.4	6.5	5.2	4.4	5.2	3.4	-5.7	-11.5	-21.6
1908	-19.9	-14.1	-6.7	-2.0	0.5	6.5	8.4	5.6	1.6	-3.4	-6.0	-11.6	-19.9
1909	-17.0	-13.2	-11.8	-3.1	0.0	6.0	6.5	8.0	3.0	0.0	-13.0	-13.1	-17.0
1910	-11.1	-11.3	-5.9	-4.0	-0.9	6.3	6.7	6.9	4.4	-0.6	-10.4	-7.8	-11.3
1911	-16.1	-17.4	-6.5	-3.0	1.5	6.0	9.6	8.5	5.1	-1.4	-2.9	-4.9	-17.4
1912	-16.4	-17.1	-1.9	-4.0	3.0	6.0	9.1	6.6	1.1	-0.7	-11.3	-10.9	-17.1
1913	-11.9	-14.1	-5.9	-4.8	2.7	7.3	4.5	6.8	2.1	-1.8	-2.5	-9.5	-14.1
1914	-18.4	-14.1	-2.2	0.1	0.9	5.0	6.6	7.0	1.2	-0.5	-9.9	-9.6	-18.4
1915	-15.1	-15.6	-9.8	-1.4	5.9	5.4	7.0	6.6	3.9	-2.2	-15.0	-11.8	-15.6
1916	-6.8	-10.5	-2.6	-0.2	3.1	5.0	8.2	7.4	0.0	-2.5	-7.5	-8.1	-10.5
1917	-18.7	-19.4	-5.8	-2.1	5.1	7.2	7.7	4.8	6.3	-1.7	-4.7	-16.8	-19.4
1918	-19.3	-9.7	-6.3	1.7	4.1	3.7	7.2	4.1	3.9	-2.5	-7.8	-9.6	-19.3
1919	-14.8	-20.9	-6.7	3.6	0.5	6.2	7.6	6.8	1.3	-6.3	-8.6	-14.8	-20.9
1920	-11.3	-8.3	-3.8	0.4	2.3	7.6	6.9	7.9	5.6	-4.9	-8.6	-13.0	-13.0
1921	-8.2	-6.6	-4.0	-2.1	-0.2	5.4	9.5	5.6	0.4	-3.7	-10.6	-12.4	-12.4
1922	-16.3	-23.1	-4.7	-1.2	1.2	7.4	6.6	7.5	4.4	-0.6	-7.2	-15.5	-23.1
1923	-13.3	-5.7	-2.0	-0.5	2.3	2.2	9.0	8.8	3.3	-2.3	-6.8	-18.2	-18.2
1924	-17.4	-15.4	-8.7	-0.8	1.5	6.2	9.3	5.5	1.7	-0.3	-8.6	-8.1	-17.4
1925	-9.2	-6.2	-10.1	-0.1	-0.7	8.4	7.2	4.5	1.7	-3.6	-10.6	-19.1	-19.1
1926	-15.1	-1.8	-4.8	-0.8	0.5	4.0	8.7	6.9	6.3	-3.3	-5.5	-14.7	-15.1
1927	-12.2	-15.4	-2.6	-1.2	1.0	5.6	10.1	6.6	4.3	-0.3	-10.9	-19.1	-19.1
1928	-11.1	-8.6	-5.3	-1.6	-0.5	4.8	11.6	7.1	2.5	-3.1	-2.9	-19.1	-19.1
1929	-20.5	-26.8	-14.3	-6.5	3.9	6.3	5.9	7.5	1.2	-1.1	-3.6	-13.8	-26.8
1930	-7.9	-10.4	-2.3	0.9	1.6	7.0	8.2	6.2	5.1	0.1	-3.6	-11.8	-11.8
1931	-14.5	-17.6	-14.0	-4.7	1.3	7.2	6.3	4.2	-0.6	-3.2	-2.3	-16.2	-17.6
1932	-18.7	-21.0	-10.8	0.0	4.0	3.9	6.4	11.1	9.7	-0.9	-4.5	-7.2	-21.0
1933	-18.9	-11.6	-3.6	-1.8	1.7	5.7	8.3	6.7	3.9	-2.3	-3.0	-20.1	-20.1
Mittel 1906-30	-14.6	-13.7	-5.9	-1.5	1.6	5.9	7.8	6.6	3.0	-1.7	-7.6	-12.9	-17.4

¹⁾ Nur die Jahre 1906 und 1907 nach den Angaben des Extremthermometers.

VII. Mittlere interdiurne Veränderlichkeit der Tagestemperatur¹⁾, $\frac{1}{100}^{\circ}\text{C}$.

	Jan.	Feb.	März	April	Mai	Juni	Juli	Aug.	Sept.	Okt.	Nov.	Dez.	Jahr
1906	203	201	231	173	157	185	189	190	171	164	192	182	187
1907	278	229	148	159	216	181	203	194	120	191	173	194	191
1908	270	136	156	230	252	169	217	153	126	153	<i>134</i>	165	181
1909	200	274	230	247	232	194	186	208	143	152	149	258	206
1910	159	212	147	185	181	218	197	182	158	140	212	239	186
1911	220	246	128	186	189	220	160	143	180	166	233	191	188
1912	245	235	202	196	230	195	182	223	136	190	193	168	199
1913	177	155	205	260	230	165	174	163	155	244	171	182	190
1914	235	133	202	189	206	192	230	148	190	179	150	255	192
1915	216	170	193	<i>134</i>	142	157	202	<i>138</i>	148	<i>108</i>	206	197	<i>168</i>
1916	<i>119</i>	202	161	215	204	248	149	193	147	148	220	188	182
1917	172	136	196	174	154	155	163	214	120	215	167	182	171
1918	290	149	180	165	144	203	<i>146</i>	206	224	186	156	181	186
1919	190	222	188	194	<i>134</i>	170	193	186	154	210	209	181	186
1920	195	145	183	239	254	185	255	179	148	134	197	140	188
1921	189	<i>92</i>	145	210	176	198	152	194	126	117	177	262	171
1922	240	185	177	182	177	252	262	232	158	160	173	240	204
1923	171	185	<i>77</i>	189	185	229	130	203	195	220	178	197	180
1924	271	203	154	211	238	232	241	218	135	113	186	<i>121</i>	193
1925	153	173	172	188	161	<i>151</i>	161	233	167	201	125	238	177
1926	248	164	162	200	154	223	195	156	126	248	219	157	188
1927	154	210	151	228	215	263	223	211	151	142	261	243	204
1928	189	139	151	235	234	204	147	198	168	194	143	244	188
1929	202	280	134	211	197	224	164	148	<i>115</i>	165	157	198	182
1930	172	127	193	162	199	156	223	162	189	185	230	151	180
Mittel 1906—30	210	184	171	198	194	199	190	187	154	173	184	198	187

¹⁾ Tagesmittel der Temperatur (7h + 14h + 21h):3.

VIII. Höchstwerte der interdiurnen Änderungen der Tagesmittel der Temperatur, $\frac{1}{10}^{\circ}\text{C}$.

	Jan.		Feb.		März		April		Mai		Juni		Juli		Aug.		Sept.		Okt.		Nov.		Dez.		Jahr	
	+	-	+	-	+	-	+	-	+	-	+	-	+	-	+	-	+	-	+	-	+	-	+	-	+	-
1906	79	45	88	60	49	54	36	54	36	34	34	78	57	67	54	66	35	50	71	68	49	54	87	62	88	78
1907	105	86	77	69	34	37	35	38	72	70	37	46	51	70	35	107	33	45	44	53	50	43	45	70	105	107
1908	73	68	56	31	31	69	111	65	50	63	33	69	46	54	54	59	32	91	103	48	26	42	72	35	111	103
1909	40	85	93	53	67	36	46	87	51	61	40	81	53	61	43	63	48	33	60	39	66	51	90	54	93	87
1910	27	36	59	68	37	44	53	58	57	88	56	64	46	72	35	60	28	43	45	46	87	73	52	79	87	88
1911	61	76	63	51	73	37	57	77	50	48	37	63	24	45	67	44	40	66	66	49	82	73	63	43	82	77
1912	87	103	82	66	44	45	59	100	62	81	53	46	32	56	49	66	31	32	35	61	55	34	59	48	87	103
1913	36	51	39	32	52	70	56	88	59	77	54	63	43	58	43	51	36	54	65	88	44	58	41	52	65	88
1914	65	53	31	32	50	95	32	95	52	64	47	44	60	79	39	58	71	65	52	52	39	29	83	88	83	95
1915	63	51	43	32	52	61	32	35	54	37	36	44	38	80	28	47	28	39	45	23	62	61	55	93	63	93
1916	39	38	51	44	57	46	46	88	36	65	52	78	34	42	52	68	32	45	41	48	57	39	46	93	57	93
1917	54	41	38	33	64	48	38	44	31	49	44	22	30	36	58	76	36	45	63	93	57	51	33	67	64	93
1918	137	78	30	58	62	70	50	63	34	36	36	56	43	35	34	65	47	65	57	38	49	45	55	37	137	78
1919	99	55	68	60	53	75	51	45	46	23	37	54	46	46	45	103	49	59	52	58	69	40	67	44	99	103
1920	69	62	53	52	47	85	45	72	45	71	61	61	37	78	36	67	32	61	80	36	50	64	35	46	80	85
1921	70	32	25	20	43	44	41	105	42	50	39	77	31	64	40	68	30	39	38	32	44	54	112	58	112	105
1922	95	74	57	90	45	35	33	72	62	37	42	77	52	99	45	72	45	55	79	51	53	47	91	51	95	99
1923	60	32	52	35	25	25	43	53	30	69	49	76	31	42	45	76	33	76	48	78	55	48	59	64	60	78
1924	100	54	77	39	37	29	61	68	61	114	31	73	63	84	31	83	37	54	31	37	79	38	48	47	100	114
1925	42	39	46	95	34	70	52	73	38	42	28	41	30	41	41	85	43	81	61	44	25	29	125	64	125	95
1926	88	59	55	37	38	66	78	57	44	30	48	92	44	58	39	36	28	34	66	63	55	63	62	40	88	92
1927	35	43	43	47	40	65	49	63	46	55	42	89	41	76	50	78	36	54	34	61	51	122	98	65	98	122
1928	52	41	46	43	55	46	45	75	52	59	43	68	29	54	34	79	23	58	52	61	34	58	76	61	76	79
1929	58	43	64	106	42	37	53	81	55	53	49	61	43	51	29	43	22	55	27	59	53	31	45	44	64	106
1930	63	57	45	27	45	60	29	50	40	77	30	41	43	78	37	67	56	42	44	71	46	94	62	27	63	94
Mittel 1906- 1930	68	56	55	51	47	54	49	68	48	58	42	63	42	61	43	67	37	54	54	54	54	56	66	55	87	94

IX. Zahl der Frost-, Eis-, Sommer- und Tropentage

	Frosttage (Minimum $\leq 0^\circ$)			Eistage (Maximum $\leq 0^\circ$)				Sommer- tage (Max. $\geq 10^\circ$)	Tropen- tage (Max. $\geq 20^\circ$)
	Zahl d. Tage	Erster Tag	Letzter Tag	Zahl d. Tage	Erster Tag	Letzter Tag			
1906—1907	139	26. IX.	2. V.	41	8. XII.	25. II.	1906	53	14
1907—1908	132	5. XI.	27. IV.	24	17. XII.	6. II.	1907	60	12
1908—1909	139	21. X.	9. V.	43	8. XII.	17. III.	1908	63	15
1909—1910	115	26. X.	12. V.	19	22. XI.	11. II.	1909	46	4
1910—1911	115	27. X.	16. IV.	35	22. XI.	10. II.	1910	47	7
1911—1912	92	31. X.	14. IV.	13	8. I.	4. II.	1911	81	20
1912—1913	124	6. X.	16. IV.	25	24. XI.	19. II.	1912	39	6
1913—1914	94	15. X.	31. III.	33	6. XII.	30. I.	1913	39	7
1914—1915	112	13. X.	10. IV.	22	19. XI.	3. II.	1914	49	5
1915—1916	105	17. X.	16. IV.	10	19. XI.	23. II.	1915	57	9
1916—1917	127	23. IX.	20. IV.	27	8. XII.	8. II.	1916	43	5
1917—1918	118	23. X.	29. III.	29	4. XII.	16. II.	1917	76	17
1918—1919	112	21. X.	30. IV.	25	2. XII.	12. II.	1918	44	9
1919—1920	127	13. X.	24. III.	19	1. XI.	24. I.	1919	50	7
1920—1921	126	27. X.	7. V.	11	21. XI.	23. XII.	1920	50	10
1921—1922	116	25. X.	26. IV.	30	10. XI.	11. II.	1921	80	25
1922—1923	108	15. X.	9. IV.	24	28. XI.	28. I.	1922	61	17
1923—1924	119	17. X.	19. IV.	34	13. XII.	24. II.	1923	62	24
1924—1925	110	20. X.	4. V.	10	18. XI.	12. III.	1924	60	16
1925—1926	92	15. X.	12. IV.	27	27. XI.	23. I.	1925	54	9
1926—1927	80	20. X.	18. IV.	20	22. XII.	21. II.	1926	50	5
1927—1928	108	25. X.	11. V.	16	13. XI.	6. II.	1927	65	12
1928—1929	128	2. X.	24. IV.	68	6. XII.	2. III.	1928	71	25
1929—1930	89	29. X.	31. III.	4	18. XII.	21. XII.	1929	68	11
1930—1931	130	7. XI.	20. IV.	34	12. XII.	8. III.	1930	65	13
1931—1932	120	26. IX.	21. IV.	25	12. XII.	12. III.	1931	54	14
1932—1933	109	20. X.	24. IV.	22	8. XII.	24. II.	1932	68	16
Mittel							Mittel		
1906—1930	114.3	20. X.	20. IV.	25.8	30. XI.	9. II.	1906— 1930	57.3	12.2

3. Feuchtigkeit und Verdunstung

Tab. X—XII.

X. Monats- und Jahresmittel der Relativen Feuchtigkeit, %¹⁾

(7 h + 14 h + 21 h):3

	Jan.	Feb.	März	April	Mai	Juni	Juli	Aug.	Sept.	Okt.	Nov.	Dez.	Jahr
1906	82	74	68	65	71	71	72	70	75	72	73	79	73
1907	77	72	69	66	58	68	66	67	66	64	69	78	68
1908	73	71	63	74	69	68	72	77	78	75	83	79	73
1909	81	69	69	65	68	68	72	75	73	75	81	82	73
1910	80	70	66	67	66	67	71	74	78	78	86	81	74
1911	86	77	70	71	74	75	69	71	77	76	78	85	76
1912	83	74	75	70	73	68	75	75	81	81	85	85	77
1913	88	75	71	68	73	73	83	78	77	74	88	83	78
1914	85	77	73	68	75	74	77	76	77	78	83	85	77
1915	88	80	80	77	76	74	81	82	80	89	88	90	82
1916	87	80	77	76	72	77	78	78	81	82	85	82	80
1917	82	76	70	72	60	67	76	76	76	83	86	83	76
1918	75	72	64	64	64	70	74	75	77	76	75	85	73
1919	78	74	66	71	63	66	71	68	68	77	79	83	72
1920	77	66	65	61	63	66	66	72	73	78	75	88	71
1921	83	71	60	70	63	72	69	70	74	78	76	80	72
1922	83	81	73	68	66	73	71	71	79	85	84	88	77
1923	89	81	70	68	62	71	67	69	76	75	81	88	75
1924	81	79	68	71	69	72	73	76	73	76	76	75	74
1925	80	72	68	66	65	63	72	74	73	76	83	81	73
1926	78	73	76	66	68	75	76	75	77	76	71	90	75
1927	87	72	65	67	63	67	72	75	77	79	83	81	74
1928	79	74	65	66	69	68	67	76	79	75	83	90	74
1929	82	75	69	65	67	70	67	75	70	74	76	79	72
1930	71	64	62	64	66	58	66	72	74	76	72	84	69
1931	81	80	68	62	54	67	70	74	75	73	76	79	72
1932	75	69	64	59	61	63	70	67	70	74	81	68	68
1933	77	76	62	70	72	69	72	73	73	76	80	79	73
Mittel 1906—30	82	74	69	68	67	69	72	74	75	77	80	83	74

¹⁾ Seit 1. August 1929 Psychrometerablesung, vorher Hygrometerablesung.

XI. Dampfdruck-Mittel, mm¹)

(7 h + 14 h + 21 h):3

	Jan.	Feb.	März	April	Mai	Juni	Juli	Aug.	Sept.	Okt.	Nov.	Dez.	Jahr
1906	3.2	3.1	3.8	5.2	7.9	9.1	10.8	10.2	8.1	6.8	4.7	2.0	6.3
1907	3.0	2.6	3.4	4.7	6.8	8.9	8.8	9.7	8.3	6.7	4.2	3.4	5.9
1908	2.4	3.2	3.7	5.1	8.5	10.0	10.4	10.0	8.6	6.4	4.0	3.2	6.3
1909	2.4	2.8	3.8	5.7	7.1	8.7	9.9	10.4	8.3	7.1	4.1	4.0	6.2
1910	3.5	3.4	4.2	5.3	6.7	9.4	9.4	10.2	8.0	7.0	4.6	4.5	6.4
1911	2.4	3.2	4.6	5.8	8.1	9.6	11.5	11.2	9.5	6.8	5.1	4.3	6.8
1912	3.6	4.4	5.2	5.4	8.3	9.6	10.8	9.3	7.0	6.1	3.9	3.7	6.4
1913	3.5	3.0	5.0	5.9	8.1	9.6	10.0	10.1	9.0	7.0	5.7	3.7	6.7
1914	2.3	3.9	4.9	6.1	7.9	9.2	10.5	11.4	8.8	6.6	4.8	4.3	6.7
1915	3.7	3.8	4.7	6.4	10.0	11.5	11.5	10.9	8.7	6.7	4.3	5.1	7.3
1916	4.2	4.1	5.3	6.5	8.5	9.3	11.2	10.8	8.5	6.8	5.2	3.9	7.0
1917	2.9	2.9	3.9	4.6	7.8	10.0	11.4	10.7	9.9	6.4	4.5	2.6	6.4
1918	2.9	3.4	4.3	5.9	7.7	8.1	10.7	10.4	9.5	6.1	4.2	4.1	6.4
1919	3.3	3.0	4.1	5.0	6.2	8.8	8.9	10.3	8.8	5.5	3.9	3.4	5.9
1920	3.5	3.3	4.5	5.5	8.4	8.8	9.7	9.4	8.7	6.9	4.3	3.6	6.4
1921	4.3	3.5	4.1	5.2	8.2	9.4	11.3	10.5	9.4	7.3	3.6	3.6	6.7
1922	3.1	3.5	4.8	5.3	7.8	10.1	9.8	10.4	8.4	6.5	4.1	3.6	6.5
1923	3.6	4.2	4.6	5.7	7.3	8.0	10.9	10.4	8.5	7.0	5.1	3.6	6.6
1924	2.7	3.0	4.2	6.0	8.3	9.5	10.8	9.3	9.0	6.6	4.6	3.5	6.5
1925	3.3	3.8	3.7	5.4	7.5	8.7	10.5	10.3	7.6	6.6	4.6	3.2	6.3
1926	3.2	4.7	4.8	5.9	7.0	8.6	10.8	10.4	9.9	6.7	5.4	3.7	6.8
1927	3.5	2.9	4.2	5.4	7.4	9.2	10.8	10.8	9.3	6.2	5.2	3.6	6.5
1928	3.5	3.7	4.4	5.7	6.7	9.3	11.8	11.6	9.3	6.5	5.3	3.3	6.8
1929	2.0	1.9	4.1	4.6	7.8	10.0	10.7	11.1	9.5	6.8	4.9	4.1	6.5
1930	3.6	2.9	4.4	5.7	7.0	9.8	9.9	10.1	8.8	6.2	5.0	3.5	6.4
1931	3.3	3.1	3.3	4.6	7.1	10.3	10.3	10.1	7.1	5.7	5.0	3.1	6.1
1932	3.3	2.4	3.4	4.5	6.8	8.2	10.9	11.1	10.4	6.2	4.7	3.5	6.3
1933	2.7	3.4	4.1	5.7	7.1	8.1	11.1	10.9	8.9	6.8	4.6	2.7	6.3
Mittel 1906—30	3.2	3.4	4.3	5.5	7.7	9.3	10.5	10.4	8.8	6.6	4.6	3.7	6.5

¹) Seit 1. August 1929 berechnet aus Psychrometer, vorher aus Hygrometerangaben.

XII. Verdunstung, mm
(Monats- und Jahressummen)

	Jan.	Feb.	März	April	Mai	Juni	Juli	Aug.	Sept.	Okt.	Nov.	Dez.	Jahr
1913	—	—	—	—	—	71.1	40.9	37.6	73.1	99.1	24.5	21.2	—
1914	4.8	23.4	54.8	64.9	57.1	58.6	64.3	51.9	51.1	42.0	27.7	26.6	527.2
1915	14.4	30.7	33.6	46.7	76.2	79.5	58.1	50.0	52.7	22.2	20.4	32.8	517.3
1916	17.7	49.8	72.6	69.5	91.8	63.3	62.4	68.8	40.3	33.2	36.6	21.1	627.1
1917	14.5	13.3	44.7	47.9	124.7	107.9	69.0	85.4	61.6	42.7	19.8	16.6	648.1
1918	44.5	22.2	62.2	110.6	94.0	69.1	65.4	58.8	54.0	40.7	17.0	(14.6) ¹⁾	(653.2)
1919	(13.8) ¹⁾	(21.6) ¹⁾	(47.8) ¹⁾	29.0	48.4	51.9	46.4	61.3	58.9	28.8	16.8	6.4	(436.4)
1920	19.6	29.2	57.5	87.8	74.2	45.8	68.6	43.8	51.5	35.5	28.1	5.3	546.9
1921	14.8	16.1	63.7	44.4	84.4	53.1	69.5	77.3	39.3	23.7	13.5	18.6	518.4
1922	7.1	8.5	37.1	69.6	64.1	55.9	68.4	70.7	36.8	14.4	10.4	10.6	453.6
1923	5.9	15.6	34.9	58.7	84.7	40.0	69.6	57.8	43.3	54.7	17.4	6.8	489.4
1924	9.8	12.9	44.2	50.1	68.0	50.4	57.1	43.8	60.6	45.7	25.0	15.6	483.2
1925	12.5	36.1	30.7	57.9	77.3	70.8	54.9	53.1	54.3	36.0	12.2	15.9	511.7
1926	13.8	32.6	37.7	62.3	74.3	46.5	46.7	46.7	41.4	40.6	66.2	6.7	515.5
1927	7.2	22.4	61.5	60.1	96.3	93.0	65.5	60.2	47.2	26.4	31.3	15.3	586.4
1928	14.8	32.1	79.1	92.3	61.8	85.1	82.6	47.0	29.3	42.3	21.2	2.9	590.5
1929	2.8	6.6	30.3	56.3	75.4	54.8	77.9	41.4	44.0	66.2	24.8	22.5	503.0
1930	27.2	29.1	61.0	69.4	73.5	96.7	64.7	51.3	43.4	30.4	41.8	10.2	598.7
1931	9.9	10.0	28.6	51.1	111.8	58.2	58.4	48.6	31.3	35.6	30.2	12.2	485.9
1932	15.4	10.0	34.0	82.3	71.3	56.2	58.1	56.6	57.2	34.4	12.7	27.3	515.5
1933	6.4	10.0	40.9	30.0	40.6	46.8	48.1	39.7	44.9	29.9	19.0	4.3	360.6
Mittel 1914— 1933	13.8	21.6	47.8	62.0	77.5	64.2	62.8	57.9	47.2	36.3	24.6	14.6	528.4

34	6.7	12.6	44.7	97.4	52.7	52.3	57.7	37.2	31.5	20.6	16.9	16.0	492.3
35	6.5	19.6	33.7	58.6	72.3	7.4	61.6	47.6	38.7	20.7	11.5	21.2	475.0
36	26.2	24.8	39.7	53.2	47.6	48.9	63.5	35.5	31.8	48.9	21.4	6.7	477.3
37	11.5	15.5	44.5	31.1	31.8	37.7	42.6	25.0	40.8	17.7	77.9	9.4	477.0
38	5.2	7.4	35.3	39.4	30.3	58.8	12.1	30.2	48.6	18.0	92.8	7.7	438.7
39	30.7	26.3	19.7	36.6	48.0	60.0	66.6	48.4	25.7	31.5	16.7	4.4	474.0
40	7.1	7.2	41.8	62.1	52.5	61.4	72.6	47.1	37.7	39.5	19.0	7.6	482.7

¹⁾ Beobachtungen fehlen; ergänzt nach den Mitteln der Jahre 1914—1933.

4. Sonnenschein

Tab. XIII—XIV.

XIII. Monats- und Jahressummen der Sonnenscheindauer (Stunden)

	Jan.	Feb.	März	April	Mai	Juni	Juli	Aug.	Sept.	Okt.	Nov.	Dez.	Jahr
1906	71	70	147	161	183	145	183	216	134	187	92	24	1603
1907	34	74	147	110	197	161	167	207	180	106	91	34	1465
1908	85	52	144	116	174	204	184	164	162	178	70	59	1612
1909	64	83	116	176	158	153	182	184	165	143	70	46	1533
1910	51	95	162	154	166	181	161	177	121	146	58	52	1564
1911	99	106	146	184	160	173	247	218	175	174	105	68	1761
1912	59	102	127	132	139	177	185	126	84	90	56	65	1399
1913	69	123	162	150	210	179	135	226	174	165	65	52	1709
1914	62	113	112	201	142	165	157	204	169	114	77	67	1582
1915	46	80	108	208	178	201	213	215	201	92	89	57	1688
1916	81	108	125	195	217	167	193	228	147	151	84	54	1751
1917	46	115	144	118	253	247	200	154	232	118	96	53	1775
1918	105	130	164	151	197	169	182	234	154	116	98	33	1733
1919	45	84	134	125	192	194	144	175	230	104	67	55	1548
1920	67	145	186	126	214	194	212	219	156	177	99	51	1847
1921	57	137	209	143	224	202	261	201	209	193	122	52	2010
1922	61	90	142	145	234	179	214	259	120	71	82	45	1641
1923	34	83	165	149	243	129	267	153	155	139	84	24	1624
1924	82	72	179	134	212	178	200	199	186	178	106	98	1822
1925	94	131	126	154	210	237	174	216	154	179	58	45	1777
1926	63	94	109	195	160	140	145	244	198	133	111	27	1617
1927	53	125	184	139	226	219	231	221	155	140	91	59	1842
1928	84	131	156	173	208	232	277	216	150	146	70	40	1883
1929	70	108	214	152	181	183	244	168	234	130	93	58	1833
1930	112	149	145	126	128	224	179	207	125	118	101	64	1678
1931	73	91	171	158	217	216	214	149	115	181	68	80	1731
1932	107	155	150	161	172	195	176	252	178	121	105	120	1891
1933	73	97	197	121	119	158	230	239	174	146	55	55	1664
Mittel 1906—30	67.7	103.9	150.1	152.5	192.2	185.1	197.4	199.9	166.8	139.5	85.3	51.2	1691.6

XIV. Zahl der Tage ohne Sonnenschein

	Jan.	Feb.	März	April	Mai	Juni	Juli	Aug.	Sept.	Okt.	Nov.	Dez.	Jahr
1906	10	7	0	0	4	3	4	4	6	3	8	21	70
1907	11	5	5	5	5	2	1	2	1	3	8	15	63
1908	10	9	1	8	2	3	2	4	5	3	10	12	69
1909	13	8	7	3	4	2	3	4	3	3	11	12	73
1910	14	8	4	5	4	2	1	3	8	3	11	15	78
1911	5	2	3	2	5	4	2	0	2	5	3	10	43
1912	13	6	5	7	8	2	5	5	10	11	13	8	93
1913	14	7	1	3	4	5	7	3	5	3	14	13	79
1914	11	5	6	4	4	1	6	1	2	5	7	6	58
1915	13	5	7	2	1	1	2	1	1	13	5	8	59
1916	7	7	4	2	2	1	0	3	3	3	8	13	53
1917	11	2	3	3	0	1	0	0	0	7	8	12	47
1918	4	3	2	2	2	4	3	1	2	6	6	16	51
1919	16	9	6	5	1	1	0	0	0	12	14	12	76
1920	9	6	3	7	3	3	3	4	3	3	5	11	60
1921	15	6	3	5	2	3	0	1	1	2	4	14	56
1922	11	6	6	3	1	4	4	2	6	12	7	13	75
1923	19	9	6	6	1	4	1	1	3	5	7	21	83
1924	7	12	4	2	4	6	1	3	1	3	7	6	56
1925	7	3	7	2	2	0	3	3	3	3	12	12	57
1926	10	5	7	4	4	5	4	1	5	4	6	20	75
1927	13	5	4	3	0	0	0	2	2	7	6	12	54
1928	11	7	4	5	3	1	1	1	6	5	12	14	70
1929	11	4	1	4	4	0	0	6	0	4	8	6	48
1930	4	2	3	5	4	1	0	4	3	7	4	9	46
1931	6	6	5	3	2	1	1	1	4	4	10	6	49
1932	8	3	6	4	4	2	1	0	1	4	7	1	41
1933	9	8	2	6	4	0	3	1	2	5	10	12	62
Mittel 1906—30	10.8	5.9	4.1	3.9	3.0	2.4	2.1	2.4	3.2	5.4	8.2	12.4	63.7

5. Bewölkung

Tab. XV—XVIII.

XV. Bewölkungsmittel

(7 h + 14 h + 21 h):3

	Jan.	Feb.	März	April	Mai	Juni	Juli	Aug.	Sept.	Okt.	Nov.	Dez.	Jahr
1906	4.3	5.9	5.4	5.2	5.7	7.1	6.5	4.8	6.0	4.5	5.8	7.8	5.7
1907	7.4	6.1	5.8	6.9	5.1	5.9	6.5	5.0	4.7	5.8	5.1	6.6	5.9
1908	4.1	7.5	5.6	7.4	6.1	5.1	6.5	6.4	5.6	3.6	5.9	5.7	5.8
1909	4.4	5.6	6.1	5.2	6.1	7.1	6.6	6.0	5.9	5.8	6.5	7.0	6.1
1910	7.3	5.9	6.0	6.4	6.3	6.3	6.5	5.9	7.1	5.2	7.6	6.5	6.4
1911	4.5	5.9	5.8	5.7	7.0	6.1	4.0	4.8	4.6	4.9	5.2	6.2	5.4
1912	7.2	5.7	6.1	6.9	6.9	5.7	5.7	6.6	7.2	6.5	6.5	4.9	6.3
1913	6.3	3.5	4.5	6.6	5.9	5.6	7.5	5.9	5.6	4.4	7.2	6.9	5.8
1914	6.1	4.4	6.5	4.2	7.5	6.9	6.8	4.7	5.3	6.8	6.1	5.7	5.9
1915	8.0	6.7	6.8	5.8	6.8	6.0	5.8	6.1	4.9	6.8	5.9	6.2	6.3
1916	5.8	6.6	6.9	5.5	5.0	6.3	6.1	4.7	5.7	4.9	5.9	5.6	5.8
1917	6.5	3.8	5.8	7.2	3.7	4.9	5.7	4.9	3.7	6.0	5.5	4.8	5.2
1918	3.3	3.3	5.1	6.2	5.4	6.2	5.9	5.7	5.2	6.3	4.9	7.9	5.5
1919	7.4	5.8	6.1	7.4	5.9	6.1	7.7	4.7	3.8	7.0	7.6	6.4	6.3
1920	6.8	3.8	5.4	7.3	6.5	7.2	6.0	7.0	6.7	4.6	5.5	7.9	6.2
1921	7.0	4.7	3.9	7.3	5.8	6.5	4.8	4.9	4.3	3.9	4.1	6.4	5.3
1922	6.7	7.1	6.4	7.8	5.4	6.8	5.1	5.0	7.1	8.4	6.3	7.0	6.6
1923	8.0	7.4	5.3	6.4	4.9	8.1	4.4	4.4	6.2	5.7	6.9	8.9	6.4
1924	5.7	7.1	5.4	7.9	5.8	6.5	6.2	7.2	5.3	4.5	5.4	4.3	5.9
1925	4.9	5.0	7.0	6.6	5.5	5.7	7.1	6.1	6.5	4.6	8.2	6.5	6.1
1926	6.7	6.4	7.2	5.2	7.0	7.6	7.7	4.6	5.0	6.0	5.6	7.9	6.4
1927	7.5	4.9	5.4	7.3	5.8	5.7	5.5	5.8	5.4	5.8	6.9	6.4	6.0
1928	6.6	5.1	5.8	6.3	6.5	5.5	4.3	6.4	6.7	5.8	7.0	7.6	6.1
1929	5.4	5.6	4.3	6.7	6.3	6.5	5.2	5.9	3.8	6.0	6.4	6.8	5.7
1930	4.5	3.8	6.1	7.1	7.5	5.0	6.6	5.1	6.3	6.5	5.9	6.6	5.9
1931	6.5	6.9	5.3	6.3	5.2	5.7	5.5	6.9	7.5	4.4	7.2	5.8	6.1
1932	4.5	4.2	6.3	6.5	5.8	5.6	6.6	4.0	5.4	7.2	6.1	3.9	5.5
1933	6.0	6.7	4.7	7.5	8.1	7.1	5.6	5.1	5.3	6.0	8.4	6.7	6.4
Mittel 1906—30	6.1	5.5	5.8	6.5	6.0	6.3	6.0	5.5	5.5	5.6	6.2	6.6	6.0

✓ XVI. Zahl der heiteren Tage (Bewölkungsmittel < 2)

	Jan.	Feb.	März	April	Mai	Juni	Juli	Aug.	Sept.	Okt.	Nov.	Dez.	Jahr
1906	11	3	7	7	5	2	2	8	5	8	2	1	61
1907	3	4	4	4	6	3	4	4	7	6	5	3	53
1908	11	2	3	1	4	4	2	2	5	9	4	8	55
1909	10	3	4	7	8	2	4	5	4	4	5	1	57
1910	2	3	7	5	3	1	3	5	2	6	1	4	42
1911	7	2	5	5	0	3	11	7	9	7	4	3	63
1912	1	3	4	2	4	7	7	4	4	5	1	7	49
1913	8	11	8	2	5	7	2	4	5	10	2	3	67
1914	5	11	3	11	1	4	1	7	6	3	5	5	62
1915	2	2	3	3	2	1	2	2	6	5	5	3	36
1916	7	2	1	7	10	2	2	8	7	9	8	5	68
1917	2	12	5	3	9	8	6	6	13	7	6	9	86
1918	12	12	5	2	4	2	3	6	5	1	5	1	58
1919	1	6	3	0	5	3	1	7	9	2	0	5	42
1920	3	14	7	1	3	0	7	2	2	7	5	1	52
1921	3	8	13	4	4	3	6	6	10	13	11	4	85
1922	2	1	3	0	6	1	8	6	2	0	4	2	35
1923	1	1	9	5	6	2	11	7	2	5	1	1	51
1924	8	1	5	0	4	2	4	3	6	6	4	13	56
1925	10	4	3	3	5	6	1	3	3	8	2	4	52
1926	3	4	1	9	2	0	2	12	8	4	5	2	52
1927	2	6	7	2	3	3	3	4	5	7	1	3	46
1928	5	10	5	2	4	8	10	2	3	5	3	3	60
1929	8	5	10	3	5	2	4	4	8	6	3	0	58
1930	11	12	6	1	1	5	0	10	2	5	3	5	61
1931	5	4	9	3	8	5	5	3	0	8	4	5	59
1932	12	10	5	4	5	6	4	12	5	0	5	8	76
1933	6	3	8	3	3	3	5	6	6	3	1	6	53
Mittel 1906—30	5.5	5.7	5.2	3.6	4.4	3.2	4.2	5.4	5.5	5.9	3.8	3.8	56.3

XVII. Zahl der trüben Tage (Bewölkungsmittel > 8)

	Jan.	Feb.	März	April	Mai	Juni	Juli	Aug.	Sept.	Okt.	Nov.	Dez.	Jahr
1906	9	9	8	9	10	16	13	7	10	4	8	17	120
1907	19	8	10	14	7	8	14	7	8	7	8	11	121
1908	6	15	8	14	11	7	11	12	10	5	8	11	118
1909	8	10	11	7	13	14	13	9	9	9	13	11	127
1910	16	8	13	11	12	11	14	9	17	7	15	13	146
1911	4	10	8	8	14	7	6	6	7	6	5	11	92
1912	14	9	9	13	15	9	11	12	15	14	11	7	139
1913	13	5	5	11	8	11	18	10	8	6	12	17	124
1914	11	5	10	7	19	15	12	7	9	13	11	6	125
1915	21	9	16	8	11	7	8	8	7	15	9	9	128
1916	10	11	16	12	9	11	10	7	10	7	9	9	121
1917	8	5	7	16	7	6	9	7	3	11	10	7	90
1918	2	3	8	8	6	10	7	9	9	8	7	20	97
1919	15	9	11	17	9	11	18	8	4	14	16	14	146
1920	13	5	9	12	13	15	11	15	14	6	9	18	140
1921	15	6	4	17	7	11	3	7	4	5	6	11	96
1922	12	12	13	17	8	12	9	7	16	20	10	12	148
1923	18	13	12	13	2	20	7	5	11	9	11	25	146
1924	13	13	7	14	8	11	11	15	9	4	8	8	121
1925	9	6	13	11	6	9	11	9	9	6	18	12	119
1926	13	14	16	10	14	12	20	7	8	11	5	19	149
1927	18	6	8	15	11	8	5	10	9	10	10	9	119
1928	13	9	12	9	13	10	2	11	12	10	14	18	133
1929	8	7	4	11	11	11	5	11	7	10	10	10	99
1930	7	3	12	17	15	5	7	7	8	14	6	14	115
1931	13	15	9	10	10	8	7	10	16	7	16	9	130
1932	9	5	13	12	8	9	14	4	6	13	10	2	105
1933	13	13	5	17	22	16	9	7	8	9	23	13	155
Mittel													
1906—30	11.8	8.4	10.0	12.0	10.1	10.7	10.2	8.9	9.1	9.2	10.0	12.8	123.2

XVIII. Zahl der Tage mit Nebel

	Jan.	Feb.	März	April	Mai	Juni	Juli	Aug.	Sept.	Okt.	Nov.	Dez.	Jahr
1906	7	8	5	0	1	2	4	0	3	9	6	13	58
1907	3	3	3	0	0	0	0	2	4	4	9	8	39
1908	11	2	1	0	0	0	0	0	4	12	9	2	41
1909	10	0	0	1	1	0	0	1	5	4	9	6	38
1910	5	1	0	1	1	0	0	1	6	7	4	4	30
1911	11	5	1	0	0	1	1	0	1	9	2	5	36
1912	3	4	1	0	0	0	0	0	0	4	1	8	21
1913	1	5	0	0	0	0	0	1	7	3	4	4	25
1914	8	3	2	0	0	0	1	0	6	7	6	1	34
1915	5	1	5	1	2	0	0	0	0	13	5	1	33
1916	2	1	0	0	0	1	1	0	5	5	3	7	25
1917	8	2	0	0	0	2	0	3	2	2	5	3	27
1918	5	1	0	0	1	0	0	0	2	1	3	5	18
1919	11	5	0	1	0	0	2	2	0	3	3	9	36
1920	6	2	1	0	0	0	0	2	1	10	15	15	52
1921	11	4	0	0	0	0	1	0	5	5	8	6	40
1922	12	10	1	0	0	1	0	0	2	2	6	11	45
1923	6	4	1	0	0	0	0	0	2	4	8	6	31
1924	8	12	2	0	0	0	0	1	3	8	14	7	55
1925	11	1	1	1	0	0	0	2	2	10	11	13	52
1926	6	2	3	0	0	1	1	2	3	4	4	13	39
1927	15	9	1	1	0	0	0	1	1	10	10	12	60
1928	6	2	0	0	0	0	0	1	9	5	6	5	34
1929	12	13	2	0	0	0	0	0	0	2	3	4	36
1930	4	0	0	0	0	0	0	1	2	4	3	1	15
1931	2	2	0	0	0	0	0	1	2	7	5	5	24
1932	5	0	1	0	0	0	0	1	1	1	6	1	16
1933	1	6	0	2	0	0	0	0	2	2	2	3	18
Mittel 1906—30	7.5	4.0	1.2	0.2	0.2	0.3	0.4	0.8	3.1	5.9	6.3	6.8	36.8

6. Niederschlag

Tab. XIX—XXVI.

XIX. Niederschlagsmenge, mm

	Jan.	Feb.	März	April	Mai	Juni	Juli	Aug.	Sept.	Okt.	Nov.	Dez.	Jahr
Alte Reihe (1891—1905) ¹⁾ :													9 (1890)
1891	30	13	80	43	70	137	265	167	63	33	33	104	1038
1892	54	67	41	105	42	179	134	125	155	75	18	18	1013
1893	67	99	52	28	108	101	203	27	111	93	87	66	1042
1894	10	57	65	83	92	92	165	168	128	51	22	43	976
1895	39	10	69	74	75	68	133	131	17	116	22	127	881
1896	60	35	143	134	73	51	95	229	154	107	10	28	1119
1897	19	61	66	70	193	93	172	165	121	22	8	26	1016
1898	16	183	82	16	59	172	114	152	50	90	107	39	1080
1899	200	10	27	74	91	61	101	59	220	25	9	106	983
1900	80	40	54	61	86	106	218	105	38	50	72	43	953
1901	24	40	67	91	78	182	96	135	102	51	39	66	971
1902	74	14	78	27	132	122	94	106	74	103	15	127	966
1903	59	33	24	107	37	63	137	190	84	112	96	27	969
1904	6	37	35	77	113	116	49	100	120	52	104	50	859
1905	58	41	43	58	114	82	123	247	101	103	76	21	1067
Mittel 1891—05	53	49	61	70	91	109	140	141	103	72	48	59	995
Neue Reihe (seit 1906):													109 74 59 55 61 43
1906	43	63	50	81	57	87	90	84	95	22	76	64	812
1907	80	19	83	85	69	110	111	71	31	59	6	40	764
1908	15	39	21	58	89	118	132	129	70	8	12	22	713
1909	20	26	39	61	53	119	96	145	37	61	55	63	775
1910	116	69	22	68	93	153	183	119	77	36	89	60	1085
1911	-12	42	27	47	62	120	27	69	67	67	39	113	692
1912	38	30	82	51	172	76	122	167	71	106	64	25	1004
1913	63	19	43	54	114	108	168	104	90	29	151	86	1029
1914	125	29	72	41	81	100	191	88	84	42	27	37	917
1915	94	39	96	40	41	82	152	56	57	29	37	22	745
1916	127	102	63	57	58	132	153	92	115	48	139	78	1164
1917	120	7	19	121	20	65	79	163	25	165	63	22	869
1918	14	26	9	36	34	137	134	118	106	74	28	167	883
1919	76	34	26	92	63	109	84	64	27	71	93	87	826
1920	68	8	55	77	81	91	133	94	95	11	1	43	757
1921	83	8	13	129	92	103	73	92	55	44	44	30	766
1922	92	40	61	67	53	87	117	121	145	51	74	87	995
1923	73	57	27	45	55	103	78	77	101	91	84	165	956
1924	21	21	12	47	115	146	168	123	76	28	13	22	792
1925	-12	84	28	79	76	43	117	143	63	49	49	54	797
1926	20	26	97	51	69	155	97	94	32	65	61	45	812
1927	84	29	42	77	48	141	131	143	126	31	86	12	950
1928	34	47	20	37	103	92	56	179	90	47	82	59	846
1929	33	13	10	40	70	84	98	191	32	101	46	85	803
1930	-10	8	31	51	86	21	160	162	88	99	19	27	763
1931	57	52	37	45	24	144	166	132	84	37	34	33	845
1932	75	10	44	37	61	46	127	83	34	112	62	4	694
1933	46	42	23	69	131	149	137	77	68	136	67	27	972
Mittel 1906—30	59	35	42	64	74	103	118	116	74	58	58	61	861

¹⁾ Die Reduktion der alten Reihe auf die neue Reihe geschieht durch Multiplikation der Monats- und Jahreswerte 1891—1905 mit den nachstehenden bezüglichen Faktoren:

[Red.-Fakt.] 1.11 | 0.71 | 0.69 | 0.91 | 0.84 | 0.94 | 0.84 | 0.82 | 0.72 | 0.81 | 1.21 | 1.03 | 0.87 |

XX. Maximale Niederschlagsmengen (mm) innerhalb 24 Stunden
(7 h—7 h)*)

	Jan.	Feb.	März	April	Mai	Juni	Juli	Aug.	Sept.	Okt.	Nov.	Dez.	Jahr
1906	1131	1928	0823	1322	1325	2829	3213	2024	2110	0726	2919	0815	321307
1907	1303	1225	3210	2024	$\begin{matrix} 1216 \\ 1218 \end{matrix}$	4923	1730	2815	0915	1217	0312	1115	492306
1908	0727	0719	0609	1101	1924	4606	3413	3530	3911	0718	0323	0819	460606
1909	0616	0901	1101	4413	1727	2230	2107	2726	1114	2206	2916	1508	441304
1910	4019	2127	$\begin{matrix} 0418 \\ 0419 \end{matrix}$	1421	2410	3913	3923	2230	1413	1903	1509	1918	401901
1911	0502	2025	1102	1529	1518	2220	0819	1721	2221	1424	1010	2811	281112
1912	1207	0721	1724	1309	5708	1924	3120	2807	1815	3222	2521	1203	570805
1913	2123	0514	1518	2101	3023	2420	4115	3120	2402	1508	4428	1706	442811
1914	6509	1323	0812	0915	1527	1712	5607	2817	3013	1606	$\begin{matrix} 0512 \\ 0516 \end{matrix}$	1429	650901
1915	1812	0801	1903	1421	0919	3012	3923	0929	1305	1001	1110	0912	392307
1916	8906	4815	2021	1423	1127	2703	2811	2117	2707	1416	3009	3231	890601
1917	4101	0321	0524	2301	0708	1026	2302	3529	1112	3611	2421	1025	410101
1918	0710	1222	0503	1216	0714	4012	2618	4606	1930	2708	1129	7413	741312
1919	2007	0918	0828	2228	1531	1926	1620	3430	1521	2227	1523	1823	343008
1920	2612	0427	2408	1721	2504	1714	4527	2920	2126	0814	0106	1502	452707
1921	1227	0516	0420	5115	4620	2214	1927	3204	1311	2328	2203	1010	511504
1922	3709	1102	2322	1827	1110	1217	4615	2009	2904	2506	1618	1721	461507
1923	1012	2701	1003	1127	2110	1823	2318	2124	3023	3004	3907	3226	390711
1924	0728	0706	0506	0828	3408	2511	3630	1718	3111	0908	0619	0706	363007
1925	0406	3915	1203	2525	1810	1027	1724	2311	1624	1624	1509	1325	391502
1926	0404	1519	2406	1219	1631	2224	3127	2317	0727	2123	3821	1029	382111
1927	1216	0817	1224	3008	1324	4227	2514	4424	3825	2823	2610	0409	442408
1928	1616	1715	0628	1005	2917	1811	1329	3230	3611	1622	1525	1602	361109
1929	1125	$\begin{matrix} 0326 \\ 0327 \end{matrix}$	0523	1013	1515	1415	3506	4419	1314	1731	1013	2113	441908
1930	0716	0307	1118	2429	1813	0513	3624	2708	2025	2209	0503	0609	362407
1931	1304	1317	1304	1718	0831	3006	3915	4920	2804	1025	1927	1310	492008
1932	3803	0209	2109	1211	1307	0719	2723	3102	1314	2909	1424	0204	310208
1933	1409	1010	1021	1308	1526	2516	3329	2021	2009	3312	1524	1021	332907
Mittl. Max. mm (1906-30)	20.0	13.2	12.1	18.4	19.8	22.2	29.4	27.7	21.0	18.6	17.8	17.0	45.3

*) Erläuterung: Die obigen Zahlen sind in folgender Weise verschlüsselt:

Zahlengruppen der Monate = RRdd,

Zahlengruppen der Jahre = RRddmm.

Dabei bedeuten: RR = max. Niederschlagsmenge in ganzen mm,

dd = Monatstag,

mm = Monat.

Bsp.: Jan. 1916: 8906 = 89 mm am 6.; Jahr 1916: 890601 = 89 mm am 6. I.

XXI. Zahl der Niederschlagstage (≥ 0.1 mm)

	Jan.	Feb.	März	April	Mai	Juni	Juli	Aug.	Sept.	Okt.	Nov.	Dez.	Jahr
1906	11	12	18	13	15	16	15	11	15	5	9	17	157
1907	16	6	17	19	13	16	18	11	7	13	3	11	150
1908	7	15	9	18	15	15	18	15	13	2	8	8	143
1909	8	16	16	17	13	18	16	16	13	14	12	14	167
1910	16	13	10	18	19	18	24	22	17	8	20	11	196
1911	4	11	10	14	16	19	12	17	13	11	6	16	149
1912	12	10	15	14	19	13	15	19	16	13	16	8	170
1913	15	7	8	13	20	18	22	19	13	7	15	18	175
1914	12	6	21	12	20	20	19	13	12	12	14	8	169
1915	19	12	17	16	16	14	21	20	11	14	12	11	183
1916	10	11	16	15	15	18	22	15	14	16	14	11	177
1917	15	5	15	21	10	16	15	19	9	21	13	10	169
1918	4	6	8	12	13	17	18	15	16	12	5	16	142
1919	14	10	15	23	15	17	21	12	7	16	16	16	182
1920	13	7	15	14	19	20	18	21	19	6	3	12	167
1921	18	7	8	20	13	20	13	16	14	11	7	12	159
1922	16	12	17	22	12	19	16	14	22	19	14	16	199
1923	19	18	14	15	14	21	16	11	15	15	14	21	193
1924	13	13	9	17	16	19	21	20	12	12	3	7	162
1925	7	9	13	14	11	18	21	16	19	8	15	18	169
1926	13	10	16	14	16	24	24	12	15	13	9	15	181
1927	16	13	12	20	16	17	19	18	18	6	12	9	176
1928	12	10	10	15	15	19	10	21	16	17	20	18	183
1929	9	8	7	18	19	17	15	14	9	13	13	16	158
1930	5	5	13	17	18	10	21	14	20	19	16	9	167
1931	15	16	10	13	13	21	17	22	22	9	10	13	181
1932	6	11	10	18	19	19	18	12	11	22	10	2	158
1933	14	17	9	19	26	22	15	15	15	15	16	9	192
Mittel													
1906—30	12.2	10.1	13.2	16.2	15.5	17.6	18.0	16.0	14.2	12.1	11.6	13.1	169.7

XXII. Reine Schneemengen (mm Wasserhöhe)

	Okt.	Nov.	Dez.	Jan.	Feb.	März	April	Mai	Winter
1906—1907	—	—	53.9	72.0	16.0	32.1	0.3	—	174.3
1907—1908	—	—	23.1	8.0	32.8	5.2	27.3	—	96.4
1908—1909	—	6.0	8.0	13.5	24.7	26.3	0.2	0.4	79.1
1909—1910	—	26.5	33.9	16.6	52.5	4.8	—	—	134.3
1910—1911	—	30.5	22.5	11.7	15.4	7.7	5.8	—	93.6
1911—1912	—	7.6	17.8	8.4	11.2	—	4.8	—	49.8
1912—1913	—	37.3	15.6	37.1	12.2	15.6	0.7	—	118.5
1913—1914	—	9.7	50.3	33.5	5.7	8.8	—	—	108.0
1914—1915	—	13.4	0.5	30.2	16.3	30.4	2.4	—	93.2
1915—1916	—	8.3	10.5	2.1	42.0	6.1	2.5	—	71.5
1916—1917	1.3	37.0	12.4	54.6	3.2	10.3	45.6	—	164.4
1917—1918	36.4	19.5	21.8	12.6	—	0.1	—	—	90.4
1918—1919	1.2	—	38.6	32.5	17.9	2.4	23.6	5.1	121.3
1919—1920	25.4	47.8	38.7	28.0	1.2	3.5	—	—	144.6
1920—1921	—	—	12.3	19.7	2.2	0.1	26.6	—	60.9
1921—1922	—	3.4	7.5	34.2	29.9	14.4	0.2	—	89.6
1922—1923	—	23.6	32.0	52.3	13.3	0.9	2.7	—	124.8
1923—1924	—	1.0	137.2	16.9	11.1	0.9	4.5	—	171.6
1924—1925	—	11.0	—	8.6	9.0	8.8	—	—	37.4
1925—1926	—	4.6	22.2	7.8	—	28.6	—	—	63.2
1926—1927	—	—	27.0	37.5	19.4	—	0.3	—	84.2
1927—1928	—	28.0	6.0	24.4	8.2	6.5	—	—	73.1
1928—1929	—	6.7	20.5	34.5	10.3	0.4	5.7	—	78.1
1929—1930	—	0.4	14.8	—	8.3	0.5	—	—	<i>24.0</i>
1930—1931	—	0.1	12.4	27.0	42.7	35.8	—	—	118.0
1931—1932	—	0.0	11.6	16.5	10.1	24.9	1.1	—	64.2
1932—1933	—	—	0.0	26.8	15.4	11.3	5.1	—	58.6
Mittel									246.4
1906/07—1930/31	2.6	12.9	25.6	24.9	16.2	10.0	6.1	0.2	98.6

XXIII. Schnee und Schnee mit Regen gemischt (mm Wasserhöhe)

	Sept.	Okt.	Nov.	Dez.	Jan.	Feb.	März	April	Mai	Winter
1906—1907	—	—	30.3	64.0	80.4	19.2	80.5	30.5	8.3	313.2
1907—1908	—	—	—	39.3	8.0	38.8	20.4	37.9	—	144.4
1908—1909	—	—	9.0	19.6	13.5	24.7	29.9	44.8	0.7	142.2
1909—1910	—	—	54.7	54.9	114.6	65.6	19.2	—	47.1	356.1
1910—1911	—	—	61.3	43.9	11.7	39.6	23.7	16.2	—	196.4
1911—1912	—	—	7.6	80.9	21.6	16.7	52.9	17.5	—	197.2
1912—1913	—	32.3	54.7	15.6	58.7	18.1	18.9	3.5	30.0	231.8
1913—1914	—	—	60.7	61.3	125.2	18.2	45.8	—	—	311.2
1914—1915	—	—	13.4	22.3	62.3	34.4	56.6	6.8	—	195.8
1915—1916	—	—	24.9	19.3	90.6	102.3	40.1	7.8	—	285.0
1916—1917	22.2	7.6	87.7	15.1	59.5	7.1	11.8	97.3	—	308.3
1917—1918	—	69.5	31.5	21.8	14.3	14.0	0.1	5.7	—	156.9
1918—1919	—	1.2	26.8	63.2	44.8	17.9	18.1	39.0	5.1	216.1
1919—1920	—	47.1	77.1	73.7	31.8	4.8	39.2	8.8	—	282.5
1920—1921	—	—	—	36.6	38.8	2.9	0.1	105.8	—	184.2
1921—1922	—	—	3.4	21.1	73.0	39.2	45.7	20.4	—	202.8
1922—1923	—	6.8	60.4	81.2	63.5	15.1	22.5	4.5	—	254.0
1923—1924	—	29.9	49.7	161.2	17.4	18.2	6.0	9.3	33.6	325.3
1924—1925	—	—	11.0	1.6	8.6	84.0	14.0	29.3	25.8	174.3
1925—1926	—	1.8	9.8	23.6	14.6	14.5	82.9	12.2	—	159.4
1926—1927	—	4.0	40.2	34.9	65.6	29.1	22.1	43.2	—	239.1
1927—1928	—	28.3	53.7	10.4	30.0	17.6	6.5	4.4	29.4	180.3
1928—1929	—	5.5	43.0	50.5	34.5	10.3	0.4	21.5	—	165.7
1929—1930	—	—	18.1	67.0	2.7	8.3	7.7	—	—	103.8
1930—1931	—	27.5	2.9	24.9	46.4	46.5	35.8	16.5	—	200.5
1931—1932	8.7	14.6	19.9	33.3	74.0	10.1	43.4	15.8	—	219.8
1932—1933	—	6.3	28.8	1.6	44.3	16.4	18.1	8.3	22.7	146.5
Mittel 1906/07—1930/31	0.9	10.5	33.3	44.3	45.3	28.3	28.0	23.3	7.2	221.1

XXIV. Zahl der Tage mit reinem Schnee (≥ 0.1 mm)

	Erster Tag des Schneefalls	Okt.	Nov.	Dez.	Jan.	Feb.	März	April	Mai	Win- ter	Letzter Tag des Schneefalls
1906—1907	5. Dez.	—	—	15	15	5	9	1	—	45	30. April
1907—1908	15. Dez.	—	—	6	6	12	4	7	—	35	21. April
1908—1909	10. Nov.	—	5	5	6	14	8	1	1	40	2. Mai
1909—1910	11. Nov.	—	11	7	8	8	4	—	—	38	31. März
1910—1911	11. Nov.	—	7	3	4	7	2	5	—	28	14. April
1911—1912	19. Nov.	—	1	4	6	4	—	3	—	18	12. April
1912—1913	3. Nov.	—	10	2	13	4	3	2	—	34	14. April
1913—1914	27. Nov.	—	1	11	10	1	3	—	—	26	28. März
1914—1915	12. Nov.	—	6	1	9	5	6	2	—	29	13. April
1915—1916	16. Nov.	—	4	5	2	8	2	1	—	22	16. April
1916—1917	20. Okt.	1	3	4	10	3	8	8	—	37	22. April
1917—1918	11. Okt.	2	5	9	3	—	1	—	—	20	26. März
1918—1919	28. Okt.	1	—	7	10	6	3	5	1	33	1. Mai
1919—1920	16. Okt.	4	10	9	6	3	5	—	—	37	13. März
1920—1921	6. Dez.	—	—	5	4	5	1	3	—	18	17. April
1921—1922	8. Nov.	—	2	7	12	7	5	1	—	34	5. April
1922—1923	24. Nov.	—	5	9	13	6	4	1	—	38	8. April
1923—1924	22. Nov.	—	1	16	9	10	2	2	—	40	11. April
1924—1925	19. Nov.	—	2	—	5	5	8	—	—	20	30. März
1925—1926	12. Nov.	—	7	10	7	—	6	—	—	30	21. März
1926—1927	2. Dez.	—	—	11	8	10	—	1	—	30	17. April
1927—1928	11. Nov.	—	6	4	9	4	4	—	—	27	15. März
1928—1929	29. Nov.	—	2	13	9	7	2	6	—	39	23. April
1929—1930	15. Nov.	—	1	4	—	5	2	—	—	12	13. März
1930—1931	12. Nov.	—	1	4	10	14	9	—	—	38	30. März
1931—1932	9. Dez.	—	—	9	1	11	5	4	—	30	14. April
1932—1933	6. Jan.	—	—	—	11	8	2	2	—	23	23. April
Mittel 1906/07— 1930/31	14. Nov.	0.3	3.6	6.8	7.8	6.1	4.0	2.0	0.1	30.7	9. April

XXV. Zahl der Tage mit Schnee und mit Schnee und Regen (≥ 0.1 mm)

	Erster Tag des Schneefalles	Sept.	Okt.	Nov.	Dez.	Jan.	Feb.	März	April	Mai	Win- ter	Letzter Tag des Schneefalles
1906—1907	19. Nov.	—	—	2	17	16	6	13	6	1	61	1. Mai
1907—1908	20. Nov.	—	—	—	10	6	14	8	11	—	49	26. April
1908—1909	9. Nov.	—	—	6	7	6	14	9	3	2	47	3. Mai
1909—1910	11. Nov.	—	—	12	11	14	9	9	—	3	58	11. Mai
1910—1911	2. Nov.	—	—	11	6	4	9	6	7	—	43	14. April
1911—1912	2. Okt.	—	—	1	9	9	6	6	4	—	35	12. April
1912—1913	22. Okt.	—	1	13	2	14	6	4	4	1	45	23. Mai
1913—1914	7. Nov.	—	—	3	13	12	2	10	—	—	40	28. März
1914—1915	12. Nov.	—	—	6	4	13	9	11	4	—	47	13. April
1915—1916	10. Nov.	—	—	7	6	3	11	9	3	—	39	17. April
1916—1917	19. Sept.	1	2	6	5	11	5	9	14	—	53	24. April
1917—1918	10. Okt.	—	4	6	9	4	3	1	1	—	28	19. April
1918—1919	28. Okt.	—	1	4	11	11	6	9	9	1	52	1. Mai
1919—1920	16. Okt.	—	5	12	13	8	4	7	1	—	50	5. Mai
1920—1921	2. Dez.	—	—	—	8	6	6	1	8	—	29	19. April
1921—1922	8. Nov.	—	—	2	9	14	10	8	4	—	47	27. April
1922—1923	27. Okt.	—	2	10	13	17	8	10	2	—	62	7. April
1923—1924	4. Okt.	—	1	4	19	10	12	4	3	1	54	8. Mai
1924—1925	27. Nov.	—	—	2	1	5	9	9	2	2	30	2. Mai
1925—1926	17. Okt.	—	1	9	11	9	1	12	1	—	44	19. April
1926—1927	24. Okt.	—	2	3	13	13	12	4	5	—	52	17. April
1927—1928	23. Okt.	—	1	7	5	10	8	4	1	1	37	17. Mai
1928—1929	14. Okt.	—	1	6	16	9	7	2	10	—	51	23. April
1929—1930	12. Nov.	—	—	4	11	1	5	4	—	—	25	20. März
1930—1931	26. Okt.	—	3	3	7	13	15	9	1	—	51	18. April
1931—1932	22. Sept.	1	2	2	10	5	11	8	6	—	45	14. April
1932—1933	31. Okt.	—	1	4	1	13	9	3	3	2	36	27. Mai
Mittel 1906/07— 1930/31	28. Okt.	0.0	1.0	5.6	9.4	9.5	7.9	7.1	4.2	0.5	45.2	24. April

XXVI. Schneedeckenverhältnisse¹⁾

Winter	Andauer der Schneedecke								Schneedeckenzeit					
	Länge der einzelnen Perioden (Tage) in chronologischer Folge								Zahl der Perioden	Zahl der Tage	Zahl der Tage	Beginn	Ende	
1910—1911	2	10	1	55	2	—	—	—	5	70	97	11. Nov.	15. Febr.	
1911—1912	21	10	1	—	—	—	—	—	3	32	73	11. Dez.	21. Febr.	
1912—1913	10	15	41	1	1	—	—	—	5	68	108	21. Nov.	8. März	
1913—1914	7	49	—	—	—	—	—	—	2	56	71	5. Dez.	14. Febr.	
1914—1915	3	2	1	35	1	13	1	—	7	56	126	25. Nov.	30. März	
1915—1916	5	7	13	1	2	3	9	10	1	9	51	113	16. Nov.	7. März
1916—1917	1	16	3	55	3	1	—	—	6	79	162	9. Nov.	19. April	
1917—1918	1	1	44	—	—	—	—	—	3	46	98	11. Okt.	16. Jan.	
1918—1919	4	15	40	1	1	—	—	—	5	61	153	27. Nov.	28. April	
1919—1920	2	10	4	4	48	1	17	6	8	92	150	16. Okt.	13. März	
1920—1921	8	1	4	—	—	—	—	—	3	13	95	15. Jan.	19. April	
1921—1922	9	48	1	2	1	—	—	—	5	61	139	10. Dez.	27. April	
1922—1923	1	6	45	29	5	2	—	—	6	88	116	28. Okt.	20. Febr.	
1923—1924	2	108	—	—	—	—	—	—	2	110	168	4. Okt.	19. März	
1924—1925	7	25	3	18	2	1	—	—	6	56	163	20. Nov.	1. Mai	
1925—1926	27	3	15	2	3	4	—	—	6	54	111	23. Nov.	13. März	
1926—1927	82	—	—	—	—	—	—	—	1	82	82	4. Dez.	23. Febr.	
1927—1928	1	10	7	1	1	15	5	1	8	41	113	23. Okt.	12. Febr.	
1928—1929	102	1	1	—	—	—	—	—	3	104	130	28. Nov.	6. April	
1929—1930	2	23	2	13	2	—	—	—	5	42	119	14. Nov.	12. März	
1930—1931	1	98	1	1	—	—	—	—	4	101	175	27. Okt.	19. April	
1931—1932	1	1	32	1	20	1	9	1	9	67	162	31. Okt.	9. April	
1932—1933	29	12	3	1	—	—	—	—	4	45	107	7. Jan.	23. April	
1933—1934	3	8	78	1	1	—	—	—	5	91	112	14. Nov.	5. März	

¹⁾ Andauer der Schneedecke = Zahl der Tage mit Schneedecke. — Schneedeckenzeit = Zahl der Tage vom Beginn der ersten bis zum Ende der letzten Schneedecke.

7. Gewitter

Tab. XXVII.

XXVII. Zahl der Tage mit Gewitter

	Jan.	Feb.	März	April	Mai	Juni	Juli	Aug.	Sept.	Okt.	Nov.	Dez.	Jahr
1906	0	0	0	1	1	3	3	4	1	0	0	0	13
1907	0	0	0	1	4	4	4	4	0	0	0	0	17
1908	0	0	0	0	3	5	3	1	2	0	0	0	14
1909	0	0	0	0	0	3	5	6	2	0	0	0	16
1910	0	0	0	0	3	3	8	3	1	0	0	0	18
1911	0	0	0	0	2	4	6	5	1	1	0	0	19
1912	0	0	1	0	3	2	2	2	0	0	0	0	10
1913	0	0	0	0	4	3	5	1	3	0	0	0	16
1914	0	0	0	0	0	4	6	3	0	0	0	0	13
1915	0	0	0	0	7	3	6	6	0	0	0	1	23
1916	0	0	0	0	1	4	6	2	1	0	0	0	14
1917	0	0	0	0	4	4	3	3	1	0	0	0	15
1918	0	0	0	0	5	1	6	5	2	0	0	0	19
1919	0	0	0	0	3	5	6	6	4	0	0	0	24
1920	0	0	0	0	4	4	9	4	0	0	0	0	21
1921	0	0	0	2	7	7	11	3	3	0	0	0	33
1922	0	0	0	0	4	5	4	7	1	0	0	0	21
1923	0	0	0	0	2	3	4	5	2	0	1	0	17
1924	0	0	0	1	4	5	9	2	0	0	0	0	21
1925	0	0	0	0	2	4	8	4	0	0	0	0	18
1926	0	0	1	0	1	5	4	3	6	1	0	0	21
1927	0	0	0	0	1	4	11	6	1	0	0	0	23
1928	0	0	0	0	3	7	10	11	2	1	0	0	34
1929	0	0	0	0	4	5	7	7	2	0	0	0	25
1930	0	0	0	1	0	11	8	5	2	0	0	0	27
1931	0	0	0	2	4	12	10	5	1	0	0	0	34
1932	0	0	0	0	1	7	5	6	3	0	0	0	22
1933	0	0	0	1	5	4	7	8	0	0	0	0	25
Mittel 1906—30	0.00	0.00	0.08	0.24	2.88	4.32	6.16	4.32	1.48	0.12	0.04	0.04	19.68

8. Wind

Tab. XXVIII—XXXII.

XXVIII. Mittlere Windstärke, 7^{h1})

(12-teilige Beaufortskala)

	Jan.	Feb.	März	April	Mai	Juni	Juli	Aug.	Sept.	Okt.	Nov.	Dez.	Jahr
1906	0.2	0.3	0.6	0.9	0.3	0.0	0.0	0.0	0.0	0.2	0.7	0.0	0.3
1907	0.4	0.3	0.4	0.2	0.7	0.1	0.3	0.0	0.4	1.1	0.5	0.3	0.4
1908	0.1	0.3	0.4	0.2	0.5	0.2	0.1	0.1	0.0	0.4	0.5	0.5	0.3
1909	0.3	0.6	0.8	0.5	0.4	0.3	0.0	0.1	0.3	0.5	0.2	0.8	0.4
1910	0.5	0.7	0.6	0.7	0.5	0.3	0.1	0.1	0.0	0.5	1.0	1.2	0.5
1911	0.1	0.4	0.9	0.3	0.1	0.1	0.0	0.1	0.2	0.7	0.7	1.1	0.4
1912	0.9	0.7	0.5	0.4	0.3	0.3	0.1	0.3	0.3	0.5	0.1	0.1	0.4
1913	0.3	0.2	0.7	0.3	0.3	0.0	0.0	0.1	0.3	0.6	0.3	0.5	0.3
1914	0.1	0.7	0.4	0.1	0.5	0.0	0.3	0.0	0.2	0.5	0.5	0.8	0.3
1915	0.2	0.5	0.2	0.0	0.3	0.2	0.1	0.1	0.2	0.1	0.4	1.1	0.3
1916	0.3	0.6	0.7	1.2	1.5	1.1	0.9	0.7	0.6	0.8	1.1	0.8	0.9
1917	0.3	0.6	0.8	1.1	1.5	0.5	0.5	1.0	0.6	1.2	0.9	1.2	0.9
1918	1.8	0.8	1.5	1.8	1.1	1.0	1.3	1.2	1.0	1.0	0.4	0.3	1.1
1919	0.5	0.4	0.5	0.1	0.3	0.2	0.1	0.1	0.1	0.3	0.5	0.4	0.3
1920	0.2	0.5	0.6	0.7	0.5	0.1	0.3	0.0	0.3	0.4	0.4	0.2	0.3
1921	0.3	0.1	0.4	0.2	0.4	0.1	0.0	0.3	0.0	0.2	0.1	0.6	0.2
1922	0.2	0.3	0.2	0.8	0.2	0.2	0.3	0.2	0.3	0.2	0.5	0.8	0.3
1923	0.4	0.2	0.4	0.5	0.4	0.0	0.0	0.2	0.4	0.8	0.4	0.6	0.4
1924	0.5	0.4	0.7	0.2	0.3	0.1	0.2	0.2	0.2	0.5	0.7	0.3	0.4
1925	0.4	0.7	0.4	0.5	0.4	0.2	0.2	0.3	0.6	0.4	0.3	0.8	0.4
1926	0.5	1.0	0.6	0.5	0.5	0.3	0.2	0.1	0.2	0.8	1.6	0.1	0.5
1927	0.3	0.5	0.5	0.3	0.7	0.5	0.2	0.1	0.3	0.2	0.6	0.5	0.4
1928	0.7	0.3	1.2	0.9	0.3	0.3	0.2	0.2	0.2	0.7	0.9	0.3	0.5
1929	0.4	0.6	0.4	1.0	0.8	0.4	0.3	0.3	0.8	0.9	0.7	1.5	0.7
1930	1.1	0.7	0.7	0.8	0.6	0.6	0.6	0.4	0.4	0.5	0.9	0.9	0.7
1931	0.7	0.5	0.8	0.8	1.2	0.5	0.6	0.5	0.5	0.7	0.9	0.6	0.7
1932	0.6	0.5	0.8	1.3	1.0	0.7	0.6	0.7	0.8	0.5	0.4	1.1	0.8
1933	0.6	0.4	0.7	0.3	0.5	0.3	0.3	0.3	0.6	0.9	0.9	0.8	0.6
Mittel 1906—30	0.4	0.5	0.6	0.6	0.5	0.3	0.3	0.2	0.3	0.6	0.6	0.6	0.5

¹⁾ Seit 1928 Windstärke aus Registrierung, vorher Schätzung.

XXIX. Mittlere Windstärke, 14^{h1})

(12-teilige Beaufortskala)

	Jan.	Feb.	März	April	Mai	Juni	Juli	Aug.	Sept.	Okt.	Nov.	Dez.	Jahr
1906	0.2	0.3	0.9	1.9	1.0	0.7	0.5	0.2	0.1	0.5	1.2	0.1	0.6
1907	0.3	0.4	0.7	0.9	1.3	0.5	0.7	0.3	1.2	1.5	0.6	0.3	0.7
1908	0.2	0.1	0.9	1.0	1.1	0.9	0.7	0.8	0.6	0.8	0.5	0.4	0.7
1909	0.2	0.9	1.4	1.0	0.9	1.3	0.9	0.9	1.0	0.8	0.7	1.0	0.9
1910	0.6	1.2	1.5	1.8	1.3	1.1	0.6	0.5	0.5	1.3	1.3	1.1	1.1
1911	0.1	1.0	1.7	1.7	1.3	1.4	1.4	1.0	0.7	1.9	1.2	1.0	1.2
1912	0.9	1.1	1.5	1.3	0.8	1.2	0.9	1.4	1.3	0.8	0.3	0.3	1.0
1913	0.3	0.2	1.5	1.8	1.2	1.4	0.7	0.8	1.5	1.9	0.3	0.4	1.0
1914	0.2	0.6	1.4	1.0	2.0	1.2	0.8	0.7	1.1	1.0	0.7	1.1	1.0
1915	0.4	0.7	1.3	1.7	1.9	1.5	1.3	1.2	1.5	0.1	0.7	1.5	1.2
1916	0.2	1.8	2.0	2.7	2.5	2.4	2.3	2.6	2.0	1.6	2.1	1.4	2.0
1917	0.7	0.6	2.3	2.5	3.0	2.6	2.1	2.3	2.1	2.0	1.0	1.5	1.9
1918	2.5	1.8	2.3	3.9	2.5	2.6	2.9	2.3	1.9	1.8	0.7	0.1	2.1
1919	0.4	0.5	1.5	1.0	1.3	1.2	1.0	1.1	1.5	0.9	0.9	0.3	1.0
1920	0.8	0.4	1.5	2.2	1.5	1.2	1.0	0.6	1.0	0.9	0.7	0.1	1.0
1921	0.5	0.3	1.0	1.3	1.6	1.3	1.0	1.2	0.9	0.3	0.5	0.4	0.9
1922	0.5	0.4	1.2	1.9	1.5	1.2	1.2	1.0	1.1	0.5	0.5	0.7	1.0
1923	0.2	0.6	1.2	1.7	1.5	1.1	1.1	0.8	0.9	1.6	0.8	0.6	1.0
1924	0.6	0.9	2.0	1.5	1.3	1.2	0.8	0.7	1.7	1.4	1.3	0.6	1.2
1925	0.4	1.3	1.6	1.9	2.2	2.0	1.0	1.3	1.6	1.4	0.6	1.3	1.4
1926	1.0	1.5	2.2	1.8	2.2	1.6	1.4	1.2	1.4	1.9	2.1	0.3	1.5
1927	0.4	1.3	1.9	2.0	2.2	2.1	1.5	1.2	1.4	0.8	1.3	0.9	1.4
1928	0.9	1.3	2.5	2.0	1.7	2.0	1.8	0.9	0.8	1.4	1.2	0.5	1.4
1929	0.5	1.0	1.3	2.0	1.6	1.3	1.4	1.1	1.3	1.9	1.3	1.3	1.3
1930	1.3	1.4	2.0	2.3	2.1	2.2	1.8	1.5	1.4	1.3	1.3	1.1	1.6
1931	1.4	1.2	1.6	2.3	2.1	1.8	1.8	1.5	1.8	1.6	1.0	0.7	1.6
1932	1.3	1.1	1.5	2.8	2.4	2.1	2.3	2.2	2.2	1.7	1.2	1.9	1.9
1933	0.9	1.1	1.6	1.9	1.7	1.6	1.8	1.3	2.1	1.8	1.5	1.0	1.5
Mittel 1906-30	0.6	0.9	1.6	1.8	1.7	1.5	1.2	1.1	1.2	1.2	1.0	0.7	1.2

¹⁾ Seit 1928 Windstärke aus Registrierung, vorher Schätzung.

XXX. Mittlere Windstärke, 21^{h1)}

(12-teilige Beaufortskala)

	Jan.	Feb.	März	April	Mai	Juni	Juli	Aug.	Sept.	Okt.	Nov.	Dez.	Jahr
1906	0.5	0.4	0.5	1.1	0.4	0.1	0.1	0.1	0.0	0.2	0.7	0.2	0.3
1907	0.5	0.4	0.2	0.4	0.6	0.2	0.1	0.0	0.3	1.0	0.5	0.3	0.4
1908	0.0	0.2	0.5	0.4	0.6	0.3	0.2	0.2	0.0	0.4	0.2	0.5	0.3
1909	0.3	0.3	0.9	0.6	0.4	0.5	0.3	0.1	0.4	0.5	0.3	0.7	0.4
1910	0.5	1.2	0.9	1.1	0.5	0.4	0.2	0.1	0.0	0.6	1.3	1.2	0.7
1911	0.0	0.6	1.0	0.4	0.3	0.6	0.3	0.3	0.2	1.0	1.3	0.8	0.6
1912	0.7	0.8	0.6	0.3	0.4	0.4	0.2	0.3	0.2	0.5	0.2	0.4	0.4
1913	0.1	0.1	0.8	0.6	0.5	0.2	0.0	0.1	0.6	0.9	0.5	0.4	0.4
1914	0.2	0.7	1.0	0.2	0.5	0.2	0.5	0.0	0.2	0.5	0.4	0.6	0.4
1915	0.3	0.4	0.5	0.3	0.5	0.3	0.2	0.1	0.4	0.1	0.4	1.0	0.4
1916	0.4	1.0	0.7	0.9	0.9	1.2	0.8	0.8	0.4	1.1	1.2	1.3	0.9
1917	0.4	0.4	1.4	1.2	1.3	1.1	0.6	0.8	0.4	0.9	0.4	1.2	0.8
1918	1.6	0.5	1.3	1.6	0.9	0.9	1.1	1.1	0.8	0.4	0.4	0.1	0.9
1919	0.3	0.4	0.7	0.0	0.1	0.3	0.1	0.4	0.3	0.3	0.9	0.0	0.3
1920	0.7	0.3	0.7	1.3	0.5	0.2	0.4	0.1	0.4	0.2	0.5	0.1	0.4
1921	0.2	0.0	0.4	0.2	0.5	0.3	0.1	0.2	0.0	0.0	0.1	0.6	0.2
1922	0.4	0.1	0.6	1.0	0.4	0.1	0.3	0.5	0.3	0.3	0.5	0.7	0.4
1923	0.2	0.4	0.1	0.6	0.6	0.1	0.0	0.1	0.5	0.6	0.4	0.2	0.3
1924	0.5	0.3	0.8	0.5	0.2	0.1	0.4	0.1	0.5	0.6	0.9	0.4	0.4
1925	0.3	0.9	0.6	0.6	0.6	0.3	0.4	0.3	0.6	0.5	0.4	0.6	0.5
1926	0.6	0.6	0.8	0.7	1.0	0.5	0.2	0.0	0.1	0.9	2.0	0.2	0.6
1927	0.5	0.9	1.1	0.5	0.7	0.5	0.2	0.2	0.7	0.3	0.7	0.6	0.6
1928	0.8	0.7	1.2	1.2	0.6	0.5	0.4	0.3	0.1	0.8	1.0	0.2	0.6
1929	0.3	0.5	0.4	1.0	0.8	0.3	0.3	0.4	0.6	1.2	0.9	1.3	0.7
1930	1.0	0.8	1.3	1.3	1.0	1.0	0.9	0.4	0.4	0.6	1.2	0.9	0.9
1931	1.3	0.7	0.8	0.9	1.2	0.8	0.6	0.6	0.6	0.8	1.1	0.3	0.8
1932	0.8	0.7	0.9	1.8	1.2	0.7	1.0	0.5	0.9	1.1	0.8	1.3	1.0
1933	0.6	0.6	1.0	0.4	0.8	0.6	0.2	0.3	0.4	1.1	1.0	0.9	0.7
Mittel 1906—30	0.5	0.5	0.8	0.7	0.6	0.4	0.3	0.3	0.3	0.6	0.7	0.6	0.5

¹⁾ Seit 1928 Windstärke aus Registrierung, vorher Schätzung.

XXXI. Zahl der Sturmtage (Windstärke ≥ 6 Beaufort)

	Jan.	Feb.	März	April	Mai	Juni	Juli	Aug.	Sept.	Okt.	Nov.	Dez.	Jahr
1906	0	0	1	2	0	0	0	0	0	0	0	0	3
1907	0	0	0	0	0	0	0	0	1	0	0	0	1
1908	0	0	0	2	2	3	1	0	0	0	0	1	9
1909	0	1	3	0	0	0	0	1	0	1	1	1	8
1910	1	0	3	4	0	0	1	1	0	0	2	3	15
1911	0	1	3	1	1	2	0	1	0	5	0	0	14
1912	0	3	5	1	0	2	0	2	2	1	0	0	16
1913	0	0	2	0	1	1	0	0	3	2	2	2	13
1914	0	1	5	0	3	1	1	0	1	0	0	0	12
1915	0	0	1	0	0	1	1	0	1	0	0	0	4
1916	0	1	1	1	2	3	2	3	2	1	3	2	21
1917	1	0	4	4	7	2	1	3	2	2	1	2	29
1918	6	1	2	11	2	1	1	0	3	1	0	0	28
1919	2	1	7	3	0	0	0	1	0	1	2	2	19
1920	2	3	5	5	0	0	1	0	2	1	0	0	19
1921	0	0	1	1	3	1	2	1	0	2	1	4	16
1922	0	0	1	2	0	0	1	1	1	0	1	1	8
1923	2	1	0	4	3	0	1	0	2	6	0	1	20
1924	1	1	4	1	1	1	2	1	1	2	1	0	16
1925	0	3	0	2	2	0	0	1	4	1	1	2	16
1926	0	2	3	2	2	1	0	0	0	3	6	0	19
1927	0	1	3	0	0	4	0	0	2	1	2	0	13
1928	0	0	5	2	0	1	0	0	0	3	1	0	12
1929	0	0	0	2	2	0	1	0	0	3	0	1	9
1930	0	0	3	2	1	0	1	0	1	1	1	0	10
1931	0	1	0	0	3	0	0	0	0	3	0	0	7
1932	2	0	3	6	5	0	1	0	0	1	0	0	18
1933	1	1	2	1	2	0	0	0	1	3	0	0	11
Mittel 1906—30	0.6	0.8	2.5	2.1	1.3	1.0	0.7	0.6	1.1	1.5	1.0	0.9	14.0

XXXII. Zahl der Tage mit S-Föhn
(nach den Windregistrierungen)

	Jan.	Feb.	März	April	Mai	Juni	Juli	Aug.	Sept.	Okt.	Nov.	Dez.	Jahr
1906	4 ¹⁾	4 ¹⁾	5	13	3	1	5	1	1	8	12	1	50
1907	3	2	3	2	13	6	4	2	6	18	6	3	68
1908	1	2	8	8	8	7	2	2	1	4	1	4	48
1909	1	8	11	6	5	11	3	4	9	7	3	6	74
1910	5	11	10	13	11	6	4	1	0	9	12	9	91
1911	0	9	13	7	8	9	5	4	4	12	11	10	92
1912	5	5	14	13	7	10	5	10	3	7	2	3	84
1913	2	3	17	23	14	7	5	1	8	12	2	6	100
1914	1	8	12	8	7	5	8	1	5	7	6	7	75
1915	7	(9)	5	5	7	7	2	2	7	0	3	7	(61)
1916	7	12	15	13	11	7	7	6	6	4	5	11	104
1917	3	1	8	10	15	10	5	10	3	7	1	6	79
1918	13	3	12	21	6	4	3	3	4	6	4	2	81
1919	4	4	12	5	2	2	6	5	6	5	5	2	58
1920	12	6	11	20	12	3	8	2	8	5	6	0	93
1921	9	1	8	2	10	4	8	8	2	0	0	2	54
1922	3	1	9	12	6	6	4	5	5	1	2	6	60
1923	0	3	3	9	9	5	3	13	8	9	5	0	67
1924	2	2	11	7	6	4	5	3	8	6	4	3	61
1925	1	9	10	12	14	0	5	7	7	3	0	5	73
1926	3	8	8	9	12	8	6	2	2	9	16	0	83
1927	1	5	15	6	10	11	4	5	8	2	6	4	77
1928	4	4	15	12	7	9	5	2	3	9	10	1	81
1929	0	2	0	9	12	1	5	2	2	13	5	7	58
1930	9	7	14	12	12	8	8	4	7	7	8	1	97
1931	0	1	4	6	10	2	1	2	2	6	7	0	41
1932	1	0	7	16	10	7	6	0	8	7	3	5	70
1933	2	1	7	1	4	4	1	1	5	6	5	3	40
Mittel 1906—30	4.0	5.2	10.0	10.3	9.1	6.0	5.0	4.2	4.9	6.8	5.4	4.2	75.1

¹⁾ Keine Windregistrierungen vorhanden.